DR. PANJABRAO DESHMUKH KRISHI YIDYAPEETH, AKOLA

Approved Rate list for the supply of office furniture upto 31-03-2017 finalized by Central Purchase Committee, Dr. PDKV, Akola

Read: 1) Univ. Order No. GAD/CPC/15-16/1789/2015 dated 02/09/2015

- 2) Office Order No. Dean (Agri.)/CPC/1018/2015 dated 07/10/2015
- 3) Univ. Order No. GAD/CPC/16-17/1877/2015 dated 15/09/2016
- 4) e- Tender No. ADPGI/CPC/furn/1590/2016 dated 28/01/2016

CIRCULAR

No. ADPGI/CPC/Furn/ \62/2017

Dated 21/01/2017

Consequent upon the constitution of Central Purchase Committee for Akola zone vide University Order dated 2/9/2015, the Central Purchase Committee headed by Associate Dean, Post Graduate Institute, Akola undertook e-tender process for the furniture items for which indents were received. Considering the wide range of items, the committee confined e tender procedure to the items of common requirement for the supply of office furniture.

The rates are duly approved by University on recommendation of the Central Purchase Committee, Dr. PDKV, Akola in r/o of the office furniture as per the list enclosed which are valid upto 31/03/2017.

The concerned officers intending to purchase any of the office furniture item from the approved rate list, will have to follow purchase procedure as per the financial rules of the University & availability of funds.

The rate mentioned in the rate list includes ST, VAT, Special Excise, Cess and F.O.R.

The concerned officers intending to purchase any furniture item should take security deposit @ 3 % of the total cost from the supplier as per rule and procedure. If the job is completed by the party satisfactorily then the amount of Security Deposit may please be returned by the concerned purchaser.

The purchaser must provide a copy of supply order to the Tender Coordinator (Furniture), College of Horticulture, Dr. PDKV, Akola.

The surprise inspections will be carried out by the Chairman/Tender Coordinator to check

- - 2 - -

The surprise inspections will be carried out by the Chairman/Tender Coordinator to check quality, quantity and specification of the purchased material.

The details regarding specification should invariably be got mentioned in the supply order and the same should be got entered in the bill so that responsibility of supplier can be fixed in respect of items supplied by them. The purchaser should check the item as per specification at the time of delivery. The purchaser should verify whether the specification meets their complete requirement or not, then only supply order should be placed.

The approved rate list for the supply of office furniture is available on www.pdkv.ac.in.

The circular is issued with the concurrence of the Comptroller and approval of Hon'ble Vice Chancellor.

Encl: Approved rate list of office furniture

Chairman
Central Purchase Committee &
Associate Dean, Post Graduate Institute,
Dr. PDKV, Akola

Copy submitted to:

The Dean (Agri.), Dr. PDKV, Akola, for information.

Copy f.w.c.s. to:

1)	The Controlling Officers (All	

- 2) The Registrar, Dr. PDKV, Akola, for information.
- 3) The Comptroller, Dr. PDKV, Akola, for information.
- 4) The T.S. to Vice Chancellor, Dr. PDKV, Akola, for information of Hon'ble Vice Chancellor, Dr. PDKV, Akola.

5) _____Copy for information and necessary action to:

1) Implementing Officers (All)_____

- 2) Pay and Accounts officer, Akola & Nagpur
- 3) Tender Cordinator (Office Furniture), College of Horticulture, Dr. PDKV, Akola

for Univ. website.

Thoronge ARN Cell, TOK PPKU Atola.

Central Purchase Committee & Associate Dean, Post Graduate Institute, Dr. PDKV, Akola.

APPROVED RATE LIST FOR THE SUPPLY OF OFFICE FURNITURE DR. PANJABRAO DESHMUKH KRISHI VIDYAPEETH, AKOLA CENTRAL PURCHASE COMMITTEE

E M C B P T R E W C B P T R E	1. Compute Main Un				1	rame of the killin, Address, Contact No.
Main Unit Height:-760 mm. C-Frame & tubular CRCA steel structure. Provision to run cable in legs Drum removable CPU stand. All steel components should be of epoxy powder coated. Computer Table Approx. Size: Length:-900mm, Width:-450mm, I No. 2820/- Height:-760 mm. C-Frame & tubular CRCA steel structure. Top made of 18mm thick material. Electrical Cable Tray made of 0.8mm thick. Provision to run cable in legs. Metal keyboard tray and removable CPU stand. All steel components should be epoxy powder coated. Keyboard Approx. Size:- Width:600 mm, Depth:270 mm, Height:70 mm Made up of prime quality MS CRCA sheet of 0.8mm thk. Fitted with branded telescopic channel. All steel components should be epoxy powder coated. CPU Trolley Approx. Size:- Length:245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 18 sheet I6mm thk. The width is adjustable from 19 wheel nylon rollers for mobility. All steel components should be posted inside the trolley for better grand with twin wheel nylon rollers for mobility. All steel components should be posted inside the trolley for better grand with twin wheel nylon rollers for mobility. All steel components should be posted inside the trolley for better grand.	Main Un	er Table	Approx. Size: Length: - 900mm Width: 450mm	1 NI	Rate (Rs.)	and E-mail
Structure. Provision to run cable in legs Drum removable CPU stand. All steel components should be of epoxy powder coated. Computer Table Approx. Size: Length:- 900mm, Width:-450mm, Height:-760 mm. C-Frame & tubular CRCA steel structure. Top made of 18mm thick material. Electrical Cable Tray made of 0.8mm thick. Provision to run cable in legs. Metal keyboard tray and removable CPU stand. All steel components should be epoxy powder coated. Keyboard Approx. Size:- Width:600 mm, Depth:270 mm, Height:70 mm Made up of prime quality MS CRCA sheet of 0.8mm thk. Fitted with branded telescopic channel. All steel components should be epoxy powder coated. CPU Trolley Approx. Size:- Length:245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better girp and with twin wheel nylon rollers for mobility. All steel components should be epoxy nowder coated. CPU Trolley Approx. Size:- Length:245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better girp and with twin wheel nylon rollers for mobility. All steel components should be epoxy nowder coated.	ALGORDANIES GROWING TO THE TANK THE TAN	nit	Height: 760 mm C-Frame & tubular CPC (cto.)	1 No.	2300/-	Texas Lifestyle Pvt. Ltd.,
removable CPU stand. All steel components should be of epoxy powder coated. Computer Table Approx. Size: Length:- 900mm, Width:-450mm, I No. 2820/- Height:-760 mm. C-Frame & tubular CRCA steel structure. Top made of 18mm thick material. Electrical Cable Tray made of 0.8mm thick. Provision to run cable in legs. Metal keyboard tray and removable CPU stand. All steel components should be epoxy powder coated. Approx. Size:- Width:600 mm, Depth:270 mm, Height:70 mm Made up of prime quality MS CRCA sheet of 0.8mm thk. Fitted with branded telescopic channel. All steel components should be epoxy powder coated. CPU Trolley Approx. Size:- Length: 245mm Width:300mm, I No. 590/- Hight:210 mm. Made of press formed MS CRCA sheet I fomm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel Components should be epoxy powder coated. Ecomponents should be epoxy powder coated.			structure. Provision to run cable in legs Drum			Plot No. 101-103, A-4/2/2, Lokpatra
Computer Table Approx. Size: Length:- 900mm, Width:-450mm, Height:-760 mm. C-Frame & tubular CRCA steel structure. Top made of 18mm thick material. Electrical Cable Tray made of 0.8mm thick. Provision to run cable in legs. Metal keyboard tray and removable CPU stand. All steel components should be epoxy powder coated. Keyboard Approx. Size:- Width:600 mm, Depth:270 mm, Height:70 mm Made up of prime quality MS CRCA sheet of 0.8mm thk. Fitted with branded telescopic channel. All steel components should be epoxy powder coated. CPU Trolley Approx. Size:- Length::245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel Components should be enoxy powder coated. Electrical Cable Tray made of 18mm, Width:300mm, 1 No. 590/- In the coated tray and with twin wheel nylon rollers for mobility. All steel			removable CPU stand. All steel components			Contact No. 024
Computer Table Approx. Size: Length:- 900mm, Width:-450mm, Adon Unit Reight:-760 mm. C-Frame & tubular CRCA steel Structure. Top made of 18mm thick material. Electrical Cable Tray made of 0.8mm thick. Provision to run cable in legs. Metal keyboard tray and removable CPU stand. All steel components should be epoxy powder coated. Keyboard Approx. Size:- Width:600 mm, Depth:270 mm, Height:70 mm Made up of prime quality MS CRCA sheet of 0.8mm thk. Fitted with branded telescopic channel. All steel components should be epoxy powder coated. CPU Trolley Approx. Size:- Length:245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel components should be enoxy powder coated. Enoxy powder coated			should be of epoxy powder coated.			Mobile: 9422278188
Computer Table Approx. Size: Length:- 900mm, Width:-450mm, Height:-760 mm. C-Frame & tubular CRCA steel structure. Top made of 18mm thick material. Electrical Cable Tray made of 0.8mm thick. Provision to run cable in legs. Metal keyboard tray and removable CPU stand. All steel components should be epoxy powder coated. Keyboard Approx. Size:- Width:600 mm, Depth:270 mm, Height:70 mm Made up of prime quality MS CRCA sheet of 0.8mm thk. Fitted with branded telescopic channel. All steel components should be epoxy powder coated. CPU Trolley Approx. Size:- Length: 245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel Components should be epoxy powder coated. Endown 1 No. 550/- The Adon Unit Width: 300mm, 1 No. 550/- The Adon Un						Email: marketing@nextfurniture.com,
Adon Unit Height:-760 mm. C-Frame & tubular CRCA steel Structure. Top made of 18mm thick material. Electrical Cable Tray made of 0.8mm thick. Provision to run cable in legs. Metal keyboard tray and removable CPU stand. All steel components should be epoxy powder coated. Keyboard Approx. Size:- Width:600 mm, Depth:270 mm, Height:70 mm Made up of prime quality MS CRCA sheet of 0.8mm thk. Fitted with branded telescopic channel. All steel components should be epoxy powder coated. CPU Trolley Approx. Size:- Length :245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet I6mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel Components should be enoxy powder coated. Englit:-760 mm, I No. 2820/- 10		r Table	Approx Size: Langth: 000 Will 150			ranjeet@nextfurniture.com
structure. Top made of 18mm thick material. Electrical Cable Tray made of 0.8mm thick. Provision to run cable in legs. Metal keyboard tray and removable CPU stand. All steel components should be epoxy powder coated. Keyboard Approx. Size:- Width:600 mm, Depth:270 mm, Height:70 mm Made up of prime quality MS CRCA sheet of 0.8mm thk. Fitted with branded telescopic channel. All steel components should be epoxy powder coated. CPU Trolley Approx. Size:- Length :245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel components should be enoxy powder coated. By the Electrical Cable Tray made of 18mm thick material. Electrical Cable Tray made of 18mm thick. Provision to 290/- I No. 590/- I No. 550/- I	Adon Un	nit	Height:-760 mm. C-Frame & tubular CRCA steel	I No.	2820/-	Texas Lifestyle Pvt. Ltd.,
Electrical Cable Tray made of 0.8mm thick. Provision to run cable in legs. Metal keyboard tray and removable CPU stand. All steel components should be epoxy powder coated. Keyboard Approx. Size:- Width:600 mm, Depth:270 mm, Height:70 mm Made up of prime quality MS CRCA sheet of 0.8mm thk. Fitted with branded telescopic channel. All steel components should be epoxy powder coated. CPU Trolley Approx. Size:- Length:245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel components should be enoxy powder coated. Electrical Cable Provision to run cable in legs. Metal keyboard tray and remove the powder coated.			structure. Top made of 18mm thick material.			Plot No. 101-10
Approx. Size:- Width:600 mm, Depth:270 mm, Height:70 mm Made up of prime quality MS CRCA sheet of 0.8mm thk. Fitted with branded telescopic channel. All steel components should be epoxy powder coated. CPU Trolley Approx. Size:- Length :245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel components should be epoxy powder coated			Electrical Cable Tray made of 0.8mm thick.			Contact No. 024
Should be epoxy powder coated. Approx. Size:- Width:600 mm, Depth:270 mm, Height:70 mm Made up of prime quality MS CRCA sheet of 0.8mm thk. Fitted with branded telescopic channel. All steel components should be epoxy powder coated. CPU Trolley Approx. Size:- Length:245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel components should be epoxy powder coated.			and removable CRIT stand All stand keyboard tray			Mobile: 9422278188
Approx. Size:- Width:600 mm, Depth:270 mm, Height:70 mm Made up of prime quality MS CRCA sheet of 0.8mm thk. Fitted with branded telescopic channel. All steel components should be epoxy powder coated. CPU Trolley Approx. Size:- Length:245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel components should be epoxy powder coated			should be epoxy powder coated			Email: marketing@nextfurniture.com.
Height:70 mm Made up of prime quality MS CRCA sheet of 0.8mm thk. Fitted with branded telescopic channel. All steel components should be epoxy powder coated. CPU Trolley Approx. Size:- Length :245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel components should be epoxy powder coated.			Depth:270 mm,	l No.	590/-	Texas I ifactula
CRCA sheet of 0.8mm thk. Fitted with branded telescopic channel. All steel components should be epoxy powder coated. CPU Trolley Approx. Size:- Length :245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel components should be epoxy powder coated.					- 10.00	rexas Lifestyle
telescopic channel. All steel components should be epoxy powder coated. CPU Trolley Approx. Size:- Length :245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel components should be epoxy powder coated.			CRCA sheet of 0.8mm thk. Fitted with branded			Plot No. 101-103, A-4/2/2, Lokpatra
CPU Trolley Approx. Size:- Length :245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel components should be epoxy powder coated			elescopic channel. All steel components should			Contact No. 024
CPU Trolley Approx. Size:- Length :245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel components should be epoxy powder coated			be epoxy powder coated.			Mobile: 9422278188
Approx. Size:- Length :245mm Width:300mm, Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel components should be epoxy powder coated						Email: marketing@nextfurniture.com,
Hight:210 mm. Made of press formed MS CRCA sheet 16mm thk. The width is adjustable from 150mm to 275mm. Rubber Pads should be posted inside the trolley for better grip and with twin wheel nylon rollers for mobility. All steel components should be enoxy powder coated.						ranjeet@nextfurniture.com
n osted				I No.	550/-	Texas Lifestyle Pvt. Ltd.,
osted n			heet 16mm thk The width is adjustable from			Plot No. 101-103, A-4/2/2, Lokpatra
n			50mm to 275mm Righter Dede should be and a			Bhavan, MIDC,
			nside the trolley for better cris and with the			Contact No. 0240-2786501.
			wheel nylon rollers for mobility All the			Mobile: 9422278188
			omponents should be enory powder costed			Email: marketing@nextfurniture.com,

Tender Co-ordinator (Furniture)

Central Purchase Committee **Member Secretary**

Chairman

E-mail: soumendu.banjerjee@methodexsystems.com			components should be epoxy powder coaled.		
Nagpur – 440023			Provision for Cable and switches. All steel		
Above ICICI Bank, Amravati Road, Wadi,			Steel Structure.		
Shop No. 101-103, Pooja Chambers,			75mm, Height: 150mm, Frame made of CRCA	Duct	
Methodex Systems Pvt. Ltd.,	1180/-	1 No.	Approx. Size:- Length:900 / 1200mm Width:	Desk Mount Cable	9.
soumendu.banjerjee@methodexsystems.com					
E-mail:			be epoxy powder coated.		
Phone No. 07104221475/9373108350			board / White Board. All steel components should		
Nagpur – 440023			Provision for Cable and switches and top – Soft		
Above ICICI Bank, Amravati Road, Wadi,			of CRCA Steel Structure.	cable duct	
Shop No. 101-103, Pooja Chambers,			thickness:70 mm, Height: 450mm, Frame made	partition with	
Methodex Systems Pvt. Ltd.,	3319.87/-	1 No.	Approx. Size:- Length: 900 mm / 1200 mm,	Desk Based	8.
			Coated, fitted with 25mm top or Glass.		
(1.2 mm thk M.S., CRCA tube duly Powder		
E-mail:furnituresales@erosgroup.co.in			with floor levelers at bottom. OR Frame made of		
Fax No. 0712-2542267			All edges covered with pvc edge beading. Fitted		
Mobile No.9373745822/9372157622			made of 18mm thk pre-laminated particle board.		
Sitabuldi, Nagpur – 440012			Top – 25mm thick. Base structure in Plus shape		
Eros Mansion, Rani Jhansi Square,			760mm		
Eros Industries,	6300/-	1 No.	Approx. Diameter pprox 1200mm height:	Round Table	7.
			components should be epoxy powder coated.		
			modesty panel on visitor's side. All steel		
ranjeet@nextfurniture.com			Dotted embossed cable Duct and Perforated steel		
Email: marketing@nextfurniture.com,			banding of edges by Through Feed Machine.		
Mobile: 9422278188			management. Top – 25mm thick PLPB. Edge		
Contact No. 0240-2786501.			formed sections, having provision for wire		
Bhavan, MIDC, Chikalthana, Aurangabad.			wide made of aluminum profile and CRCA		
Plot No. 101-103, A-4/2/2, Lokpatra			mm, Height: 760 mm C- Frame Leg 200 mm	Table	
Texas Lifestyle Pvt. Ltd.,	4585/-	1 No.	Approx. Size:- Length: 1200 mm, Width: 600	Multipurpose	6.
E-mail:furnituresales@erosgroup.co.in					
Fax No. 0712-2542267					
Mobile No.9373745822/9372157622					
Sitabuldi, Nagpur – 440012					
Eros Mansion, Rani Jhansi Square,			mm X 18 Square CR Tube.		
Eros Industries,	630/-	1 No.	Made of 18 mm PLPB supported by 20 mm X 20	CPU Stand Inbuilt	5.
and E-mail	Rate (Rs.)				No.
Name of the Firm, Address, Contact No.	Lowest	Unit	Specification	Name of the Item	Sr.
			~		2

Valuation of the Member Secretary

Central Purchase Committee

Chairman

)			
Mobile: 9422278188 Email: marketing@nextfurniture.com, ranjeet@nextfurniture.com					
Contact No. 0240-2786501.			edge bend by machine.		
Bhavan, MIDC, Chikalthana, Aurangabad.			All exposed edges covered with 2mm thk. PVC		
Plot No. 101-103. A-4/2/2 Loknatra	480/-	I No.	Approx. /35mm High Side panel/leg made of 18mm thk PLPB fitted with necessary bracket	Side Panel	14.
ranjeet@nextfurniture.com		131			
Email: marketing@nextfurniture.com,			duly Powder Coated brackets.		
Mobile: 9422278188			fitted to the partition with necessary M.S. CRCA		
Contact No. 0240-2786501.			edges bend by machine,		
Bhavan, MIDC, Chikalthana, Aurangabad.			All exposed edges covered with 2mm thk PVC		
Plot No. 101-103, A-4/2/2, Lokpatra			in MDF.		
Texas Lifestyle Pvt. Ltd.,	210/-	1 No.	Worktop made of 25mm thick material PLPB or	Workshop	13.
ranjeet@nextfurniture.com					
Email: marketing@nextfurniture.com,					
Mobile: 9422278188			4		
Contact No. 0240-2786501.			Provision of Slot for cabling and accessories.		
Bhavan, MIDC, Chikalthana, Aurangabad.			Sections. Tiles 12mm. thk. Pre laminated board.		
Plot No. 101-103, A-4/2/2, Lokpatra			Frame 1.6mm thk. CRCA powder coated	with tiles	
Texas Lifestyle Pvt. Ltd.,	480/-	1 No.	Approx. 70mm Thk. Tiles Base partition. Internal	Partition panel	12.
ranjeet@nextfurniture.com					
Email: marketing@nextfurniture.com,					
Mobile: 9422278188					
Contact No. 0240-2786501.			•	room	
Bhavan, MIDC, Chikalthana, Aurangabad.			make Model wpb or any branded make.	bench for the class	
Plot No. 101-103, A-4/2/2, Lokpatra	1	,	Model-3 550W x 915D x 774 SD x 440 S wipro	attached desk	:
Texas Lifestyle Pyt. Ltd.	3120/-	1 No.	Single seater SDCB (age group 15 and above)	Single seater	=
soumendu.banieriee@methodexsystems.com			coated.		
Phone No. 0/1042214/5/93/3108350			All steel components should be epoxy powder		
Nagpur – 440023			mm thk MS tube, Tile made up of 18mm PLPB.		
Above ICICI Bank, Amravati Road, Wadi,			Frame Structure:- made up of 32mm dia, 1.25		
Shop No. 101-103, Pooja Chambers,			450 mm	partition pole base	
Methodex Systems Pvt. Ltd.,	2139.75/-	1 No.	Approx. Size: Width – 900mm D – 32mm, Ht–	Desk mounting	10.
and E-mail	Rate (Rs.)				No.
Name of the Firm, Address, Contact No.	Lowest	Unit	Specification	Name of the Item	Sr.

W

Central Purchase Committee Member Secretary

Chairman

Sr.	Name of the Item	Specification	Unit	Lowest Rate (Rs.)	Name of the Firm, Address, Contact No.
15.	Side panel (Metal)	Approx. 735mm High, having provision for wire	1 No.	480/-	Texas Lifestyle Pvt. Ltd.,
		work Top, All steel components should be epoxy powder coated.			Bhavan, MIDC, Chikalthana, Aurangabad. Contact No. 0240-2786501.
					Mobile: 9422278188
					Email: marketing@nextfurniture.com,
16	Mobile Pedestal	Approx. Size: Height:650mm. Width:410 mm.	1 No.	5050/-	ranjeet(a)nextfurniture.com Texas Lifestyle Pyt Ltd.
10.	Unit	Depth:540mm	1140.	00001-	Plot No. 101-103, A-4/2/2, Lokpatra
		Top – 25mm thick PLPB. Side .back and drawer			Bhavan, MIDC, Chikalthana, Aurangabad.
		front are made of 18mm thk. PLPB. Metallic			Contact No. 0240-2786501.
		provision of Casters for mobility. Drawer slides			Email: marketing@nextfurniture.com,
		for filing drawer. Other drawers on roller slides.			ranjeet@nextfurniture.com
17.	Side Runner with 3 Drawer	Approx. Size:- Height:680mm, Width:1200mm, Depth:400 mm.	1 No.	6840/-	Texas Lifestyle Pvt. Ltd., Plot No. 101-103 A-4/2/2 Loknatra
		Body part made-up of prime quality CRCA Sheet.			Bhavan, MIDC, Chikalthana, Aurangabad.
		Top – 18mm thick PLPB. Side Edges covered			Contact No. 0240-2786501.
		Door lock All steel components should be enovy			Fmail: marketing/nevtfurniture com
		powder coated.			ranjeet@nextfurniture.com
18.	Collapsable Glass	Approx. Size:- Height:1676mm, Width:838 mm,	1 No.	9900/-	Eros Industries,
	Door	Depth: 310 mm (4-Door). Doors made of MS			Eros Mansion, Rani Jhansi Square,
		CRCA formed sections fitted with 4mm thk glass			Sitabuldi, Nagpur – 440012
		aluminum die cast handles. All steel components			Fax No. 0712-2542267
		should be epoxy powder coated.			E-mail:furnituresales@erosgroup.co.in
19.	Single Side main	Approx. Overall Size:- H:-1980mm, W:-915mm, D:-380 mm. Body Structure: Made up of prime quality CRCA MS	1 No.	9900/-	Eros Industries, Fros Mansion Rani Ihansi Square
	Idek	sheet 1.0mm thk 3 fold side panel with dia 12mm hole in			Sitabuldi Nagnur – 440012
		middle of each panel throughout the height at 25mm pitch			Mobile No.9373745822/9372157622
		out of Prime Quality CRCA 0.8mm thk. Sheet. Complete			Fax No. 0712-2542267
		knockdown assembly. All steel components should be enoxy powder			E-mail:furnituresales@erosgroup.co.in

Member Secretary

Chairman

Sr.	Name of the Item	Specification	Unit	Lowest Rate (Rs.)	Name of the Firm, Address, Contact No.
20.	Single Side Adon	Approx. Overall Size:- H:-1980mm, W:-915mm,	1 No.	9000/-	Eros Industries,
		quality CRCA MS sheet 1.0mm thk 3 fold side panel with dia 12mm hole in middle of each panel			Sitabuldi, Nagpur – 440012 Mobile No.9373745822/9372157622
		throughout the height at 25mm pitch for height			Fax No. 0712-2542267
		adjustability of shelves. Adjustable shelf made out			E-mail:furnituresales@erosgroup.co.in
		of Prime Quality CRCA 0.8mm thk. Sheet. All			
21.	Main Shoe	Approx. Overall Size:- H:-1980mm, W:-915mm,	1 No.	3155/-	Jalaram Steel Furniture (P0 Ltd.,
	Rack/Adon Rack	D:-380 mm. Body Structure: Made up of prime			Kapodra Flyover End, Varachha Road,
		quality CRCA MS sheet 1.0mm thk 3 fold side			Surat 395006 (Gujrat)
		throughout the height at 25mm pitch for height			Authorised Dealer: Nidhi Sales Corp.
		adjustability of shelves. Adjustable shelf made out			Murtijapur Road, Akola
		of Prime Quality CRCA 0.8mm thk. Sheet.			E mail: nishantlohia@rediffmail.com
		components should be enoxy nowder coated			
22.	Magazine Rack	Approx. Size:- Height:1870mm, Width:265mm,	1 No.	12250/-	Texas Lifestyle Pvt. Ltd.,
	Main	Depth:400mm: Sides made of 18mm thick pre-			Plot No. 101-103, A-4/2/2, Lokpatra
		laminated board. Edges covered with PVC edge			Bhavan, MIDC, Chikalthana, Aurangabad.
		band on through feed edge bending machine Shelf			Contact No. 0240-2786501.
		tray & Bottom Panel made by M.S.CRCA Sheet.			Mobile: 9422278188
		Tray slides on roller bearing. All steel components			Email: marketing@nextfurniture.com,
		should be epoxy powder coated.			ranjeet@nextfurniture.com
23.	Reading Table	Approx. Size:- Length: 2100 mm, Width: 900	1 No.	7800/-	Texas Lifestyle Pvt. Ltd.,
		mm, Height:760 mm.Frame made of MS CRCA			Plot No. 101-103, A-4/2/2, Lokpatra
		sheet and tubes. Top made of 18mm thick pre-			Bhavan, MIDC, Chikalthana, Aurangabad.
		laminated board. Side Edges covered with PVC			Contact No. 0240-2786501.
		edge band on edge bending machine. Perforated			Mobile: 9422278188
		modesty panel at center of table. All steel			Email: marketing@nextfurniture.com,
		components should be epoxy powder coated.			ranieet@nextfurniture.com

Member Secretary
Central Purchase Committee

Chairman

E mail:					
Phone No 07104221475/9373108350					
Nagpur – 440023					
Above ICICI Bank, Amravati Road, Wadi,					
Shop No. 101-103, Pooja Chambers,					
Methodex Systems Pvt. Ltd.,	3656.50/-	1 No.	Mid back branded make with detail specification.	Revolving Chair	28.
soumendu.banjerjee@methodexsystems.com					
E-mail:					
Phone No. 07104221475/9373108350			41.5		
Nagpur – 440023			pronged nylon pedestal, 99.h x 78d x 78w, SH-		
Above ICICI Bank, Amravati Road, Wadi,			molded PU foam, cushion seat and back, 5		
Shop No. 101-103, Pooja Chambers,			adjustment 120 mm, center tilt mechanism,		
Methodex Systems Pvt. Ltd.,	3656.50/-	1 No.	Mid back with arm Pneumatic seat, height	Chair	27.
soumendu.banjerjee@methodexsystems.com			piece arm rest. High density PU cushion.		
E-mail:			Lockable center tilt mechanism and with Single		
Phone No. 07104221475/9373108350			steel column gas lift and seat height adjustment.		
Nagpur – 440023			stability. Twin Wheel heavy duty Castor Sturdy		
Above ICICI Bank, Amravati Road, Wadi,			660mm, Width- 640 mm: 5-Prong base for		
Shop No. 101-103, Pooja Chambers,			Max:1110/560mm, Min: 1010/460mm, Depth -		
Methodex Systems Pvt. Ltd.,	3847.50/-	1 No.	Approx. Size: Height Overall/Seat -	Middle back Chair	26.
soumendu.banjerjee@methodexsystems.com					
E-mail:			mechanism, High density PU cushion.		
Phone No. 07104221475/9373108350			height adjustment. Lockable center tilt		
Nagpur – 440023			stability. Twin Wheel heavy duty Castor. Seat		
Above ICICI Bank, Amravati Road, Wadi,			660mm, Width- 640 mm: 5-Prong base for		
Shop No. 101-103, Pooja Chambers,			1285/560mm, Min: 1185/460mm, Depth -		
Methodex Systems Pvt. Ltd.,	4140/-	1 No.	Approx. Size: Height Overall/Seat – Max:	High Back Chair	25.
soumendu.banjerjee@methodexsystems.com			should be epoxy powder coated.		
E-mail:			middle of table height. All steel components		
Phone No. 07104221475/9373108350			edge band on edge bending machine. One self at		
Nagpur – 440023			laminated board. Side Edges covered with PVC		
Above ICICI Bank, Amravati Road, Wadi,			and tubes. Top made of 18mm thick pre-		
Shop No. 101-103, Pooja Chambers,			Height: 760mm, Frame made of MS CRCA sheet		
Methodex Systems Pvt. Ltd.,	9958.50/-	1 No.	Approx. Size:- Length:2100mm, Width: 900mm.	Laboratory Table	24.
and E-mail	Rate (Rs.)				No.
Name of the Firm, Address, Contact No.	Lowest	Unit	Specification	Name of the Item	Sr.
	The second secon	COLUMN STREET,			

Member Secretary
Central Purchase Committee

Chairman

Eros Industries, Eros Mansion, Rani Jhansi Square, Sitabuldi, Nagpur – 440012 Mobile No.9373745822/9372157622 Fax No. 0712-2542267 E-mail:furnituresales@erosgroup.co.in	2500/-	I No.	Approx. Size: Total Height-825mm, Seat Height: 460mm, Tablet Height: 665mm, Depth 570 mm & Width: 550 mm. Under Structure cantilever type MS CRCA. Hot pressed ply wood with steel T-Nuts for rigid fastening. Single piece integral skin PU arm rest. High density PU molded cushion. Book rack made of plastic coated wire mesh fitted at bottom of seat and tablet made of 18mm thick PLPB. All steel components should be epoxy powder coated.	Half Writing Pad Chair	<u></u>
Texas Lifestyle Pvt. Ltd., Plot No. 101-103, A-4/2/2, Lokpatra Bhavan, MIDC, Chikalthana, Aurangabad. Contact No. 0240-2786501. Mobile: 9422278188 Email: marketing@nextfurniture.com, ranjeet@nextfurniture.com	4700/-	1 No.	Approx. Size: Total length: 1775mm, Total Height: 1045 mm, Total Depth: 550 mm and Seat height: 556mm. Made of MS CRCA. Chrome plated Handles & BASE. Steel perforated MS molded one piece seat and back fitted in molded chrome plated side strips, three individual seats fitted on MS tube support seat and bottom support Powder coated.	Premium Visitor Chair	32.
Methodex Systems Pvt. Ltd., Shop No. 101-103, Pooja Chambers, Above ICICI Bank, Amravati Road, Wadi, Nagpur – 440023 Phone No. 07104221475/9373108350 E-mail: soumendu.banjerjee@methodexsystems.com	2306.25/-	1 No.	Approx. Size: Height Overall/Seat – 1045/560mm, Depth – 660 mm, Width- 640 mm. Under Structure cantilever type MS CRCA Tube 1.6 mm thick. Single piece arm rest. High density PU cushion. All steel components should be epoxy powder coated.	Fixed Visitor Chair	31.
Eros Industries, Eros Mansion, Rani Jhansi Square, Sitabuldi, Nagpur – 440012 Mobile No.9373745822/9372157622 Fax No. 0712-2542267 E-mail:furnituresales@erosgroup.co.in	600/-	1 No.	NilKamal make or any branded make with detail specification.	PVC Chair	30.
Nidhi Sales Corporation, Opp. Govt. Milk Scheme, Near RDG College, Murtijapur Road, Akola Phone No. 0724-2456033 Moile: 9850397507/8380099677 E mail: nishantlohia@rediffmail.com	2350/-	I No.	Supreme make or any branded with high quality cushion with detail specification.	Ornate Chair	29.
Name of the Firm, Address, Contact No. and E-mail	Lowest Rate (Rs.)	Unit	Specification	Name of the Item	Sr.

Member Secretary
Central Purchase Committee

Chairman

2 :				Rate (Rs.)	and E-mail
34.	Glass Door	With 4 adjustable shelves, 2 doors with 4 glass	1 No.	11700/-	Eros Industries,
	Cabinet	panels and lock, S.S. keys in duplicate. Approx.			Eros Mansion, Rani Jhansi Square,
		x W-36" x D-19") Door & Shelves: Steel of not			Mobile No.9373745822/9372157622
		less than 1 mm. Back & two sides: Steel of not			Fax No. 0712-2542267
		less than 0.9 mm. Locks & Security: 6 levers			E-mail:furnituresales@erosgroup.co.in
		inbuilt branded Lock system with non			(
		interchangeable S.S. Key in Duplicate. All steel			
		parts in powder coated.			
35.	Wooden	Executive Main Table with Mobile pedestal,	1 No.	18900/-	Eros Industries,
	Executive Table	Overall Dimension (A) Main Desk Size: W-135			Eros Mansion, Rani Jhansi Square,
		D-75 H-75 (cm) (B) Side Return Desk Size: W-			Sitabuldi, Nagpur – 440012
		120 D-45 H-75 (cm) I Credenza Size: W-75 D-			Mobile No.9373745822/9372157622
		42.5 H-75 (cm) Material specification: Frame 'C			Fax No. 0712-2542267
		channel frame & pipe of 1" PRIME quality. Table			E-mail:furnituresales@erosgroup.co.in
		Top: Pre-laminated particle board of ISI marked			
		top with 2 mm PVC edge beading. 6 levers inbuilt			
		branded Lock system. With S.S. Key in			
		Duplicate. All steel parts with powder coat.			
36.	Executive Table	Both side storage, 2 drawers cum filing drawer &	1 No.	13500/-	Eros Industries,
		a center drawer, mounted on telescopic channel.			Eros Mansion, Rani Jhansi Square,
		Front side of storage units with wooden paneling.			Sitabuldi, Nagpur – 440012
		Perforated knee cover. Frame structure CRCA			Mobile No.9373745822/9372157622
		"C' channel frame ERW pipe of 1" PRIME			Fax No. 0712-2542267
		quality. Table Top: Pre-laminated particle board			E-mail:furnituresales@erosgroup.co.in
		of ISI marked top with 2mm PVC edge beading.			
		Locks & Security: 6 levers inbuilt branded Lock			
		system with S.S. Key in Duplicate. All steel parts			
		finished in high quality MARPOL powder.			
37.	Computer table	With steel frame pullout tray for keyboard &	1 No.	4200/-	Nidhi Sales Corporation,
		collecting tray for printout Approx. Overall Size:			Opp. Govt. Milk Scheme, Near RDG College, Murtijanur Road Akola
		W-90 x D-59 x H-75(cm). All steel parts in			Phone No. 0724-2456033
		powder coated.			Moile: 9850397507/8380099677

Member Secretary

Central Purchase Committee

Central Purchase Committee Chairman

Central Purchase Committee Member Secretary

Central Purchase Committee Chairman

لم

c c (
Above ICICI Bank, Amravati Road, Wadi, Nagpur – 440023 Phone No. 07104221475/9373108350 E-mail: soumendu.banieriee@methodexsystems.com	3		Locks fitted to each individual door with ss keys in duplicate. All parts are finished in powder coating.		
Methodex Systems Pvt. Ltd., Shop No. 101-103, Pooja Chambers,	9585/-	1 No.	With four doors inside sliding with glass overall, Approx. size:1740 (h) x 915(W) x 320(d) mm.	Book case	46.
Fax No. 0712-2542267 E-mail:furnituresales@erosgroup.co.in					
Sitabuldi, Nagpur – 440012 Mobile No.9373745822/9372157622					
Eros Mansion, Rani Jhansi Square,			x D-650 mm.		
Froe Industries	4500/-	1 No.	Glass ton & wood. Overall Size:H-450 x W-1000	Teanov	45
E-mail:furnituresales@erosgroup.co.in			W-385 x D-560 (mm). All steel parts powder coated.		
Mobile No.9373745822/9372157622			Inside dimension of each drawer size: H-250 x		
Sitabuldi, Nagpur – 440012			telescopic channel. Overall size: H- 1320 W-470		
Eros Mansion, Rani Jhansi Square,			drawer with ball bearings double extension	cabinet	
Eros Industries,	10300/-	1 No.	With automatic locking arrangement. Each	4 Drawer filling	44.
soumendu.banjerjee@methodexsystems.com			7		
Phone No. 0/1042214/5/93/3108350 E-mail:			W-416.6 x D-142.6 x H-/5 (cm). All steel parts in powder coated.		
Nagpur – 440023			screw, Expandable as requirement. Table top size:		
Above ICICI Bank, Amravati Road, Wadi,			ribs running through each module, level adjusting		
Shop No. 101-103, Pooja Chambers,	23621/-	I NO.	top, Triple melamine coated over veneer. Steel	Conterence table	43.
E mail: nishantlohia@rediffmail.com	52051/	1 11			2
Murtijapur Road, Akola					
Authorised Dealer: Nidhi Sales Corp.,					
Phone No. 0261/2570092					
Surat 395006 (Gujrat)					
Kapodra Flyover End, Varachha Road,			specification.		
Jalaram Steel Furniture (P0 Ltd.,	2370/-	1 No.	Teak wood make with arms with detail	Wooden chair	42.
and E-mail	Rate (Rs.)				No.
Name of the Firm, Address, Contact No.	Lowest	Unit	Specification	Name of the Item	Sr.
			}		

Central Purchase Committee Member Secretary

Chairman

Member Secretary
Central Purchase Committee

Chairman

N Sr.	Name of the Item	Specification	Unit	Lowest Rate (Rs.)	Name of the Firm, Address, Contact No. and E-mail
51.	Executive Side	With 3 drawers fixed pedestal. Appro. Size W-	1 No.	6639/-	Methodex Systems Pvt. Ltd.,
	Unit	138XD-60 X H-75 (cm). All steel parts in powder			Shop No. 101-103, Pooja Chambers,
		coated.			Above ICICI Bank, Amravati Road, Wadi,
					Nagpur – 440023
					Phone No. 07104221475/9373108350
					E-mail:
					soumendu.banjerjee@methodexsystems.com
52.	3 seats cluster	Chair on beam with perforated steel seat and back	1 No.	5000/-	Eros Industries,
		with handle. Overall pprox size: L-64 x D-23 x			Eros Mansion, Rani Jhansi Square,
		D-57 (cm). All steel parts in powder coated.			Sitabuldi, Nagpur – 440012
					Mobile No.9373745822/9372157622
					Fax No. 0712-2542267
					E-mail:furnituresales@erosgroup.co.in
53.	Sliding Glass	With 4 adjustable shelves. Overall Approx. size:	1 No.	11000/-	Eros Industries,
	Door Unit	H-1830 x W-90 x D-450 (mm) (H-72" x W-35.5"			Eros Mansion, Rani Jhansi Square,
		x D-1 8"). All steel parts in powder coated.			Sitabuldi, Nagpur – 440012
					Mobile No.9373745822/9372157622
					Fax No. 0712-2542267
					E-mail:furnituresales@erosgroup.co.in
54.	2 drawer filing	With automatic locking arrangement. Drawer will	1 No.	6750/-	Methodex Systems Pvt. Ltd.,
	cabinet	be mounted on ball bearings with double			Shop No. 101-103, Pooja Chambers,
	(Laboratory)	extension telescopic channel. Overall size: H-696			Above ICICI Bank, Amravati Road, Wadi,
		W-470 D-623(mm) (H-27" W-18.5" x D24.5").			Nagpur – 440023
		All steel parts in powder coated.			Phone No. 07104221475/9373108350
					E-mail:
					soumendu.banjerjee@methodexsystems.com

Ar 1/2%

Tender Co-ordinator (Furniture)

Member Secretary
Central Purchase Committee

Chairman Central Purchase Committee

12

2	Name of the Item	Specification	Unit	Lowest Rate (Rs.)	Name of the Firm, Address, Contact No.
55.	Laboratory Table	Top fitted with 17 to 20 mm black granite. able frame (pedestal) made out m.s. tube 25x25 mm. thick and finished with epoxy powder coating. Under bench storage modules. Modular of best quality sheet, drawers running on roller slide channels, shutters are fitted with consealedhing with ss handle with one half shelf. Complete module finished with powder coating. A) Two drawer two almirah unit. B) Single drawer single almirah unit. C) Two door almirah unit. D) Single door almirah unit.	1 No.	47500/-	Texas Lifestyle Pvt. Ltd., Plot No. 101-103, A-4/2/2, Lokpatra Bhavan, MIDC, Chikalthana, Aurangabad. Contact No. 0240-2786501. Mobile: 9422278188 Email: marketing@nextfurniture.com, ranjeet@nextfurniture.com
		F) Sink unit G) Corner H) Wall mounting unit			
56.	Cupboard	Steel, with 4 shelf, lock and key.	1 No.	9550/-	Texas Lifestyle Pvt. Ltd., Plot No. 101-103, A-4/2/2, Lokpatra Bhavan, MIDC, Chikalthana, Aurangabad. Contact No. 0240-2786501. Mobile: 9422278188 Email: marketing@nextfurniture.com, ranjeet@nextfurniture.com
57.	Simple Storage Almirah	Size W-156 x D – 76 x H -75.5 (cm)	1 No.	10000/-	Texas Lifestyle Pvt. Ltd., Plot No. 101-103, A-4/2/2, Lokpatra Bhavan, MIDC, Chikalthana, Aurangabad. Contact No. 0240-2786501. Mobile: 9422278188 Email: marketing@nextfurniture.com, ranjeet@nextfurniture.com
58.	Double sided all steel book rack	900 x 600 x1850 (WDH) Godrej make or any ISI mark with same specification.	1 No.	5570/-	Texas Lifestyle Pvt. Ltd., Plot No. 101-103, A-4/2/2, Lokpatra Bhavan, MIDC, Chikalthana, Aurangabad. Contact No. 0240-2786501. Mobile: 9422278188

Member Secretary
Central Purchase Committee

Chairman

Central Purchase Committee

N

100 mg

Member Secretary
Central Purchase Committee

Tender Co-ordinator (Furniture)

Chairman