

दरपत्रक प्रपत्राचा नमुना

प्रति,

दि. _____

सहयोगी अधिष्ठाता,
वसंतराव नाईक कृषि जैवतंत्रज्ञान महाविद्यालय,
वाघापुर रोड, यवतमाळ

विषय — प्रयोगशाळेत सुतारकाम करणे करीता निविदा दरपत्रका (कोटेशन) बाबत

संदर्भ — जा.क्र./वनाकृजैम/SRA-Biotech/ /२०१७ दि. /०५/२०१७

महोदय,

आपल्या कार्यालयाच्या मागणीप्रमाणे साहित्य पुरविण्याचे/कामाचे दर व विवरण खालील प्रमाणे आहेत.

अ.क्र	विवरण	दर प्रती चौरस फुट
१	Chemical/Reagent racks on island granite lab table: <ul style="list-style-type: none">- Two shelved chemical display rack on pre-constructed granite table with decorative borders and desirable (Three on both sides) 16Amp electric switch supply on both side as per lab specifications.- All sides laminated with quality 1mm thick laminates with quality finish in the work.	
२	Wall side granite platforms and Island lab table Paneling (Doors) with its frame structure: <ul style="list-style-type: none">- Frame structure should be of good quality Aluminum in which wood material is inserted throughout for permanent durability and stability.- For panelling - Branded plywood should be used of min. 18mm thick ISI marked with CML No, Gurjan hard ply termite resistant & treated.- All panels shall be laminated with good quality laminates of min 1 mm thickness both sides and all sides of panels are embedded with teak wood bidding.- Properly and evenly aligned with the structure available.- It shall be decorated in two on three color Laminates as above as directed and having 4" Handles with comfortable Grip.- Doors panel shall be limited with quality Chain and magnetic Locks.	
३	Wall Hanging Laboratory Rakes : <ul style="list-style-type: none">- Wall mounted rakes shall be made in the material as given in Point No II as above.- Those rakes shall be of 2 or 3 shelves as directed with all quality material as above and properly aligned as per the available structure and decorated as per directions.- Panels of this rake shall be of 5mm quality Glass with properly ground edges .- Depth of rack should be 1' <i>feet</i>.	

पुरवठादाराचा शिक्का व सही