



Farm Machinery Testing and Training Centre
Department of Farm Machinery and Power
College of Agricultural Engineering and Technology
DR. PANJABRAO DESHMUKH KRISHI VIDYAPEETH
AKOLA- 444 104 (MS)



E-mail: fmtt28@gmail.com

SPECIFICATION SHEET OF TRACTOR OPERATED GROUNDNUT DIGGER

1	Name of machine	:	
2	Name and address of manufacturer	:	
3	Name and address of applicant	:	
	Selling price in India	:	

4. SPECIFICATIONS			
(Appendix A, Clause 3.2 and 6.1, IS:11235-2006)			
4.1	General:		
	a)	Name	:
	b)	Type	:
	c)	Make	:
	d)	Serial Number	:
	e)	Model	:
	f)	Year of manufacture	:
	g)	Recommended source of power as per applicant	:
4.2	Constructional Details:		
4.2.1	Main frame:		
	a)	Type and material	:
	b)	Size (mm)	: 1610x1440
4.2.2	Blade:		
	a)	Type and Material	:
	b)	Number	:
	c)	Size (mm)	:
	d)	Inclination angle	:
	e)	Clearance from ground (mm)	:
	f)	Clearance from main frame (mm)	:
	g)	Method of fixing	:
4.2.3	Elevator chain conveyor :		
	a)	Material and type	:
	b)	Size (mm)	:
		Peripheral length	:
		Width	:
	c)	Conveyor rack material and size (mm)	:

	d)	Spacing between racks (mm)	:	
	e)	Number of racks	:	
	f)	Material, nos. and size (mm) of spikes on racks	:	
	g)	Slope of conveyor	:	
	h)	Method of power transmission	:	
4.2.4	Rear support / Depth control wheel:			
	a)	Type	:	
	b)	Number	:	
	c)	Size	:	
	d)	Spacing (mm)	:	
	e)	Hub diameter (mm)	:	
4.2.5	Safety features :			
	a)	PTO guard	:	
	b)	V-belt guard	:	
4.2.6	Type of hitch and its details :			
	a)	Type	:	
	b)	Constructional details	:	

Specification of Hitch Pyramid As per IS: 4468-1997 (Part-I)

Sr.	Dimension (Refer Fig.1)	Description	Measurement
Upper Hitch attachments			
1	d_1	Diameter of hitch pin hole	
2	b'_1	Width between inner faces of yoke	
3	b'_2	Width between outer faces of yoke	
Lower hitch points			
4	D_2	Dia. of hitch pin	
5	b'_3	Linch pin hole distance	
6	l	Lower hitch point span	
Other dimensions			
	Diameter of linch pin hole		
7	d	For upper hitch pin	
8		For lower hitch pin	
9	h	Mast height	




Fig. 3 : Implement Hitch Attachment

4.2.7 Power transmission system:

a) Method of transmission :

4.2.7.1 Splined end of digger input shaft (Refer Fig. 4):

Sr.	Specification/ Notations (Refer Fig.2)	Measurement
1	PTO Type	
2	Nominal speed (rpm)	
3	Nominal dia.(mm)	
4	Number and type of splines	
Dimensions (mm)		
5	D Φ	
6	d Φ	
7	B Φ	
8	A Φ	
9	W	
10	a	
11	b	
12	c	
13	x	
14	B	
15	h	




Fig. 4: Dimension of Implement Power Input Shaft

4.2.7.2	Gear box assembly (primary reduction):		
a)	Type	:	
b)	No. of teeth on pinion	:	
c)	No. of teeth on bevel gear	:	
d)	Reduction ratio at gear box	:	
e)	Oil capacity (L)	:	
f)	Oil change period (hr)	:	
g)	Recommended grade of oil	:	
h)	Length of power transmission shaft (mm) (from gear box to front pulley)	:	
i)	Diameter of shaft (mm)	:	
j)	Provision of breather	:	
4.2.7.3	Gear box to conveyor upper pulley (secondary reduction) :		
a)	Front pulley diameter (mm)	:	
b)	Rear pulley diameter (mm)	:	
c)	V-belt size, number	:	
d)	Provision of belt tightening	:	

	e)	Dia. of casing of output shaft (mm)	:	
	f)	Dia. of rear drive shaft (mm)	:	
4.2.7.4	Propeller shaft (Refer Fig. 5)		:	
	a)	Type and material	:	
	b)	Length of shaft (mm)	:	
	c)	Mass of shaft (kg)	:	
	d)	Provision for locking	:	

Propeller Shaft Insert Dimensions As per IS: 4931-2006

Sr.	Notations (Refer Fig.3)	
1	D Φ	
2	d Φ	
3	W	
4	B	




Fig. 5 : Propeller Shaft Insert Dimensions

4.2.8	Windrowing mechanism:		:	
	a)	Type and material	:	
4.3	Overall Dimensions (mm):		:	
	a)	Length	:	
	b)	Width	:	
	c)	Height	:	
	d)	Mass (kg)	:	
4.4	Color of implement		:	

4.5 Details of Material of Construction : (Cl. 6.1.1.(b) and 8.2 of IS:13818-1999)

Sr.	Name of part	Material
1	2	3
1	Frame	MS tubular pipe
2	Elevator racks	
3	Blade	
4	Main shaft	
5	Conveyor shaft	
6	Chain Sprocket	
7	Pulley	
8	Rear support/ Depth control wheel	

Place:

Date:

Signature : _____

Name : _____

Designation: _____