

Farm Machinery Testing and Training Centre

Department of Farm Power and Machinery College of Agricultural Engineering and Technology Dr. PANJABRAO DESHMUKH KRISHI VIDYAPEETH AKOLA- 444 104 (MS)



Email: fmtt28@gmail.com

SPECIFICATION SHEET OF HAND OPERATED ROCKER SPRAYER

1	General		
	Name and address of manufacturer	:	
	Name and address of applicant		
	Name of machine	:	
	Type	:	
	Make		
	Model		
	Batch No/Code No.	:	
	Capacity of Sprayer, 1	· :	
	Serial No.	:	
	Recommended working pressure,	:	
	kPa		
	Output capacity, l/min	:	
	Year of Manufacture	:	
	Mass, kg.	:	
2	Recommended source of power	:	
	Performance parameters declared	:	
	by applicants		
3	Base board	:	
	Material	:	
	Shape	:	
	Size, mm (L x B x T)	:	

4	Frame		
	Material	:	
	Shape	:	
	Size, mm (L x B x T)	:	
5	Hand lever and Extension		
5.1	Hand lever		
	Material	:	
	Size (Dia. and Length), mm	:	
5.2	Extension		
	Material	:	
	Size (Dia. and Length), mm	:	
6	Piston		
	Material	:	
	Size (Dia. and Length), mm	:	
7	Pump cylinder		
	Material	:	
	Size (Dia. and Length), mm	:	
	Stroke length, mm	:	
8	Pressure chamber		
	Material	:	
	Shape	:	
	Size (Dia. & Length), mm	:	
	Capacity, cm ³	:	
9	Nozzle		
	Make	:	
	Type	:	
	Designation	:	
	Number of nozzle	:	
	Number of holes	:	

		· · · · · · · · · · · · · · · · · · ·	
	Size of nozzle, mm	:	
	Recommended operating pressure,	:	
	Kg/cm2		
	Recommended discharge, ml/min	:	
	(cone and jet spray)		
	Recommended cone angle at 3		
	kg/cm ² pressure, degree		
11	Spray gun		
	Make	:	
	Туре	:	
	Designation	:	
	Nozzle Size, mm	:	
	Recommended operating pressure,		
	Kg/cm2		
	Discharge rate, lit/min (Jet and	:	
	cone spray), ml/min		
	Cone angle, degree		
11	Overall dimensions (Without hose and leaver), mm		
	Height	:	
	Length	:	
	Width	:	
	Colour	:	
12	Accessories		
	For operator's safety against	:	
		·	

Details
Details
Details
Details

:
· :