DEPARTMENT OF FRUIT SCIENCE

DR. PANJABRAO DESHMUKH KRISHI VIDHYAPEETH, AKOLA

No. HD/FS/farm Irrig./2001/2025

Dated 27/02/2025

Quotation Notice

| Го, | |
|-----|--|
| | |
| | |
| | |

Subject: Supply of quotation for the drip irrigation system materials with installation.

The department is decided to install drip irrigation system for banana plantation. Therefore, this department will be purchase lateral, PVC pipe and other related fitting materials as per the site requirement. Hence, please arrange to supply the quotation on the condition mentioned on overleaf for the purchase and installation of drip irrigation system as per following specification to this department.

| SN. | Name of Items | Specification | Quantity | Rate | Remark |
|-----|-------------------------|----------------|-----------|------|---------------------|
| 1 | Lateral (Online) | 20 mm, Class 2 | 2500 mt. | | |
| | Daire and (DC) | 4 I DII | 2000 | | The material should |
| 2 | Dripper (PC) | 4 LPH | 2900 nos. | | be ISI mark and |
| 3 | PVC pipe | 63 mm. 4 kg. | 12 nos. | | branded make only, |
| | | pressure | | | All the materials |
| 4 | PVC pipe | 75 mm. 4 kg. | 10 nos. | | should have single |
| | | pressure | | | brand make. |
| 5 | PVC Tee | 63 mm | 1 nos. | | Rate should be |
| 6 | PVC Tee | 75mm | 2 nos. | | quoted including |
| 7 | PVC Elbo | 63 mm | 8 nos. | | GST. |
| 8 | PVC Elbo | 75mm. | 4 nos. | | |
| 9 | FTA | 75 mm | 4 nos. | | |
| 10 | PVC reducer | 75 x 63mm. | 1 nos. | | |
| 11 | PVC solvent | ISI high | 1 lit. | | |
| | | pressure | | | |
| 12 | PVC boll valve | 75 mm without | 1 nos. | | |
| | | thread | | | |
| 13 | PVC boll valve | 63 mm without | 2 nos. | | |
| | | thread | | | |
| 14 | Flush valve (threaded) | 63 mm | 2 nos. | | |
| 15 | Screen filter (Plastic) | 2.5" 40 cu. m. | 1 nos. | | |
| 16 | Ventury manifold | 2.5" | 1 nos. | | |
| 17 | Ventury assembly | 1" | 1 nos. | | |
| 18 | Joiner | 20 mm. | 30 nos. | | |
| 19 | Take off & Grommets | 20 mm. | 30 nos. | | |
| 20 | End cap | 20 mm | 30 nos. | | |

| 21 | Installation charges | For each acre | 1 acre | |
|----|--------------------------|-----------------|--------|--|
| 22 | Digging with filling of | Approx. upto 50 | | |
| | trench for pipe fitting. | mt. length | | |

The comparison of above estimated items rate will be making on the basis of total value. The quotation should reach to this office on or before date **07/03/2023** at 5.30 pm.

CONDITIONS:

- 1. The quotation should be sent in sealed envelope only.
- 2. On the left hand corner of envelope following matter must be clearly mentioned in block
- 3. Letters 'Quotation for drip irrigation materials & installation' with reference to this office enquiry letter No. HD/FS/Farm. Irrig./2001/2025 Dated 27/02/2025
- 4. Supply the quotation in the name of **Head, Department of Fruit Science, Dr. PDKV, Akola, Krishi Nagar Post office 444104 Dist. Akola(MS)**
- 5. Item available in ready stock and which can be supplied on placing of firm order, may only be quoted.
- 6. **GST** should be inclusive in the quoted rates and GST No. should mention on quotation.
- 7. 2% GST and 1% TDS will be deducted from the more than Rs. 2.5 lakh of the final bill and the same certificate of the deducted amount will be provided by the office.
- 8. Delivery of the materials should be given at side. (FOR)
- 9. Any damage or losses of materials will not be considered in the real supply.
- 10. Anyhow, the hidden charges or costing should not be allowed.
- 11. The detail specification, make, model, manufacturer of accessories required be given in the quotation with the sample (if necessary). Without incomplete details/ specification the quotation are liable for rejection.
- 12. The payment of bill will only be made after satisfactory compliance of complete supply/work and hence condition such as full or part payment in advance, etc. are not acceptable.
- 13. Quotation received after mentioned date will not be considered.
- 14. Time period for which the quotation will be valid should be clearly mentioned. Otherwise, the validity period for the quotation should be at least for **31 March 2025** which is earlier will be considered.
- 15. The conditional quotations are liable for rejection.
- 16. The undersigned reserves full right to reject any or all the quotations without assigning the reasons thereof.

Head

Department of Fruit Science

Dr. PDKV. Akola

Copy to: Officer Incharge, ARIS cell for uploading on University Website.