

**OFFICE OF THE ASSOCIATE DEAN  
COLLEGE OF AGRICULTURAL ENGINEERING AND  
TECHNOLOGY**

DR. PANJABRAO DESHMUKH KRISHI VIDYAPEETH AKOLA

No. DN/ADE/478/2024

July 3-2024

**SUPPLY OF QUOTATION**

To,  
Whom it may concern

**Subject:** Quotation for purchase of the RO Water Purification plant, water cooler with stand and water tank.

It is requested to send your quotation / catalog price for the items specified below so as to reach this office on or before /07/2024

Sr. No.	Item with Specification	Quantity	Price
	<b>RO Water Purification plant with installation</b>	1	
	1. Capacity :250 liter per hour 2. Raw water pump 0.5 hp 10 mtr head 3. Membrane housing : 4040 X 1 single element or equivalent 4. RO Membrane : 4040 X 1 dow or equivalent 5. Electrical panel : 1 X astrel or equivalent 6. Vessel dmf/acf : 2X1054 7. Mpv : 2 X ¾" initiative /ukl or equivalent 8. Dosing pump set : 1 X edose 10 ltr / tank 100ltr 9. RO skid ss 304 : complete 10. Media / carbon: natural sand/ coconut carbon 11. Spun filter: 2 X 4.5 X 20" 12. Micron filter : 2 X big blue Rota meter : 2 X 600 lph		
	<b>Water Cooler with Stand</b> Capacity – 100 liter	1	
	<b>Water Tank</b> Capacity – 1000 liter	1	

*While quoting the instructions on overleaf may please be carefully noted.*

**Instructions**

1	The quotations should be sent in sealed envelope.
2	On the envelop following should be clearly mentioned in block capital letter. QUOTATION FOR ENQUIRY LETTER No. : DN/ADE/ 478 /2024 DATED: 3/7/2024 DUE DATE : 15/7/2024
3	Items shall be in reedy stock and which can be supplied on placing firm order only be quoted.
4	Price / rates should be all inclusive (i.e. inclusive of all tariffs and expenses) and

	F.O.R. this office at Dr. PDKV, Akola.
5	Detailed Specifications, make mode, manufacturer, Accessories, required etc, along with the market literature, photograph should accompany the quotation avoid on these details and the and the incomplete specifications are liable to be rejected.
6	The payment of bill can only be made after satisfactory compliance of complete supply and hence, conditions such as full or partial payment in advance of R.R. are not acceptable.
7	Details quotations received after due date will not be considered.
8	Time required for which the quotation will be valid should be clearly mentioned; further the validity period should be at least 60 days more. Quotations of lesser validity period are liable to be rejected.
9	The material will have to be supplied within 30 days or as specified or even in less period than 30 days from the date of issue of supply order.
10	Conditional quotations are liable to be rejected.
11	The u/s reserves full rights to reject any or all the quotations without assigning reasons thereof.



Associate Dean  
College of Agril.Engg.& Tech.  
Dr. PDKV, Akola

1 The quotations should be sent in sealed envelopes.  
 2 The envelopes should be clearly marked in black capital letters.  
 3 There shall be no return of quotations and they shall be supplied on plain paper only.  
 4 There shall be no return of quotations and they shall be supplied on plain paper only.

DATED 12/12/2024  
 QUOTATION FOR ENQUIRY LETTER FOR BRIDGE NO. 108