

Outward No. 305/2021 Date 26/2/21
Agri-Business Incubation Centre (R-ABI)
MoA & FW, Govt
Dr. PDKV, Akola

"UTKARSH-PDKV" AGRI-BUSINESS INCUBATION CENTRE,
Near Shahid Stambh, Opposite to Vice-Chancellor Office,
DR.PANJABRAO DESHMUKH KRISHI VIDYAPEETH, AKOLA-444104

Quotation Notice

Subject: INVITATION OF "QUOTATION FOR ANAEROBIC WORKSTATION SHIELD" FOR R-ABI WORKSHOP.


Sealed quotations are invited from the different contractors for anaerobic workstation shield. Please arrange to supply rates to the undersigned in prescribed following proforma. The quotation may be send to Agri-Business Incubation Centre, Dr. PDKV, Akola office on or before 4/03/2021 up to 05 pm in sealed envelope.

Particulars work

Sr. No.	Item	Specification	Rate (Rs./quantity)
1	ANAEROBIC WORKSTATION SHIELD	Mode of Construction should be Durable, Non Corrosive, Opaque Sheet of Acrylic Resin of 6mm or 8mm thickness for entire body, except front panel of acrylic resin but transparent sheet, for better visibility and insulation, External Dimensions should be 1200 mm Length X 740mm Height X 660 mm Width, Internal Dimensions should be 900 mm Length X 500 mm Height X 560 mm Width, Interlock should be 250 X 300 X 300, Main Workstation Capacity should be Up to 650 plates of 90mm X 15mm, Additional inoculation space for regular working and One power supply ports inside the chamber, Inter lock Capacity should be Interlock transfer of up to 40 plates of 90mm X 15mm & Auto Inter lock cycle, Interlock Cycle Time should be 35 S, Power Supply should be 230 V \pm 15%, 50 Hz \pm 3%	

Terms and conditions:

1. The rates quoted should be inclusive of all taxes, material, any other charges if any.
2. The quotation will be accepted on all working days between 11 am to 5 pm.
3. The rates should be valid till 31/03/2021 from the date of opening of the quotations.
4. The work should be completed within time after the issue of supply/ work order.
5. Quotations duly sealed should be addressed to the undersigned and super scribed the envelope with "Quotation for anaerobic workstation shield" should reach on or before 4/03/2021 up to 5.00 pm.
6. Rates should quoted For Akola with G.S.T



Head & PI,
Agri-Business Incubation Centre
Dr.PDKV, AKOLA

Copy Submitted to:

Incharge, ARIS Cell, Dr. PDKV, Akola to publish on university website