



## AGRICULTURE RESEARCH STATION, ACHALPUR

## DR. PANJABRAO DESHMUKH KRISHI VIDYAPEETH, AKOLA

Phone : 07223-2 <b>20119</b>	Email: arsacriaipur@pukv.ac.iii
Phone : 0/223-220119	Email: arsachalpur@gmail.com
	No.ARS/Achalpur/Horti./ 679/2022
	Agriculture Research Station,
	Office of the Associate Professor (Agronomy).
	Dated- 19 /10/2022
То,	
,	
,	
,	

Subject: Supply of sealed quotation for supply and fitting of 200 micron UV stabilized film at top of Fan and Pad cooling Polyhouse.....

Agriculture Research station, Achalpur is in need of the below mentioned 200 micron UV stabilized film for Fan and Pad cooling Polyhouse. Hence, kindly quote, rates inclusive of all taxes (Bill must have GST No.).

Sr.	Description of work	Qty and	Rate	Total
No.		unit		Amount
1	Supply and fitting of 200 micron UV stabilized film (Size 28 x 8 m Garware make) at top of Fan and Pad cooling Polyhouse	02 No		

## **Terms and Conditions**

- Quotation should be reach to the undersigned on or before 15/11/2022
- 2. The detail specification, make, model, manufacture of accessories required be given in the quotation with the sample (if necessary).
- 3. Without incomplete details/specifications the quotations are liable for rejection.
- 4. Quotation should be given for above mentioned items only.
- 5. Authorization letter/certificate in the support of the authorized dealer of the company is compulsory and may be attached with the quotation
- 6. Quotation with local make material will not be accepted.
- 7. Quotation received late will not be considered.
- 7. Please write on the sealed quotation envelop as "Supply of sealed quotation for supply and fitting of 200 micronUV stabilized film at top of Fan and Pad cooling Polyhouse"
- 8. All rights are reserved with this office to accept or reject the quotation without assigning the reasons thereof.
- 9. Please mention our letter no. in the quotation and top of envelope.
- 10. Quote the rates inclusive of GST.
- 11. Delivery and installation of material at Agriculture Research station, Achalpur Dist. Amravati
- 12. All govt. norms/rules should be followed belonging to society/firm
- 13. Before quoting of rates, the contractor should visit the centre to see the
- 14. Anyhow, the hidden charges or costing should not be allowed.

- 15. The payment of bill only be made after satisfactory compliance of complete supply and installation and hence condition such as full or part payment in advance etc. are not acceptable.
- 16. The quotation will be valid up to 31 March 2023.
- 17. Sample should be match with the constructed polyhouse otherwise material will be rejected /cancelled.
- 18. The conditional quotations are liable for rejection.

Officer Incharge

Agriculture Research Station,

Achalpur

Copy fwcs to the officer Incharge, ARIS Cell, Dr.PDKV, Akola with a request to upload the quotation on University website.