



Dr. Panjabrao Deshmukh Krishi Vidyapeeth, Akola
Agriculture Research Station
Tharsa, Tq. Mouda, Dist. Nagpur- 441106

Dr. V.K. Biradar
Officer In-charge

E-mail(O) : arstharsa@pdkv.ac.in
arstharsa1910@gmail.com

No.ARS/Drip/348/2022

Dated-01-11-2022

Quotation Notice

To,

- 1.
- 2.
- 3.


Subject:-Regarding Quotation for supply of rates of drip irrigation system

This office has to install drip irrigation system at the farm. You are therefore requested to office your most comparative rates for the same and furnish quotation under sealed cover , so as to reach this office on before 10-11-2022 up to 4.00 pm.

Sr.No.	particulars	Approx. Quantity	Rate (Rs.)
1	Sand filter 2"	01 No.	
2	Screen filter 63mm size	01 No.	
3	2.5" manifold	01 No.	
4	2.5"NRV Non Return Valve	01 No.	
5	Bypass 2"	01 No.	
6	Ventury 1.5"	01 No.	
7	PVC Pipe 75 mm	48 m	
8	PVC Pipe 63 mm	132 m	
9	PP Boll Volve 75"	01 No.	
10	PP Boll Volve 63"	02 Nos.	
11	Flush Volve 63mm	02 nos.	
12	Air Release Volve	01 No.	
13	Lataral Inline 16mm	8000 m	
14	Lataral Connector 16mm	100 Nos.	
15	Gromate and take off 16mm	200 Nos.	
16	End cap of Lataral 16mm	200 Nos.	
17	Pressure guage	01 No.	
18	Pressure guase Assembly	01 No.	
19	Swing check volve	01 No.	
20	PVC accessories elbow, Reducer, Coupler, end cap etc.	LS	
21	Solvent cement	3 Lit.	
22	Trench digging and Instalation	L.S.	

Terms and conditions

1. Quotation/Estimate will be considered for above items only and in above format including all taxes.
2. Rates quoted should be inclusive of all taxes and should be have valid GST registration number .
3. Complete specification should be quoted.
4. The sealed quotation enlope be subscribed as "Qoutation for Drip Irrigation System" .
5. The quoted should be valid for 12 month.
6. The right to accept the quotation partially, fully or for non acceptance will be with undersigned without assigning any reason.
7. The work will be executed within 7 Days from issue of work order.
8. If any dispute arises the dicision of undersigned will be final.
9. The payment will be made by cheque only agaist the production of bill as early as possible.
10. If any spare part found to difective or sub-standard quality at time of delivery the same will be rejected and the supplier is bound to supply the spare part of desired quality and Quantity mentioned in supply order.


Officer Incharge
Agriculture Research Station
Tharsa, Dist. Nagpur