



Dr. Panjabrao Deshmukh Krishi Vidyapeeth, Akola
Agriculture Research Station
Tharsa, Tq. Mouda, Dist. Nagpur- 441106

Dr. V.K. Biradar
Officer In-charge

E-mail(O) : arstharsa@pdkv.ac.in
arstharsa1910@gmail.com

No. ARS/Drip./392/ 2023

Date: 24.11.2023

Quotation Notice

To,

- 1.
- 2.
- 3.

Subject:- Regarding Quotation for supply of rates of drip irrigation system

This office has to install drip irrigation system at the farm. You are therefore requested to offer your most comparative rates for below mentioned items and furnish quotation under sealed cover, so as to reach this office on before 30-11-2023 up to 4.00 pm

Sr. No.	Particulars of Product	Unit	Qty.	Rate	Amount
(A)	Network PVC Pipes				
1	PVC PIPE 75MM 4KG/CM2 SOCKETED	Mtr	30		
2	PVC PIPE 63MM 4KG/CM2 SOCKETED	Mtr	36		
(B)	Emitting Pipe				
1	DRIP LATERAL 16MM ISI CL II	Mtr	70		
2	FINOGOLINLINE 16/2/40/0.40mm Non ISI	Mtr	3000		
3	RUBBER GROMMET 16MM	Nos.	70		
4	HEAD CONNECTOR 16MM	Nos.	70		
5	BARBED CONNECTOR 16MM	Nos.	70		
6	END CAP 16MM	Nos.	70		
7	PVC BALL VALVE 63MM	Nos.	2		
8	FLUSH VALVE ASSLY 63MM	Nos.	2		

Terms and Conditions

1. Quotation/Estimate will be considered for above items only and in above format including all taxes.
2. Rates quoted should be inclusive of all taxes and should be have valid GST registration number
3. Complete specification should be quoted
4. The sealed quotation envelope be subscribed as Quotation for Drip Irrigation System
5. The quoted should be valid for 12 month
6. The right to accept the quotation partially, fully or for non acceptance will be with undersigned without assigning any reason.
7. The work will be executed within 7 days from issue of work order.
8. If any dispute arises the decision of undersigned will be final
9. The payment will be made by cheque only against the production of bill as early as possible
10. If any spare part found to defective or sub-standard quality at time of delivery the same will be rejected and the supplier is bound to supply the spare part of desired quality and Quantity mentioned in supply order...

Biradar
Officer Incharge 24.11.23

ARS, Tharsa
Agriculture Research Station
Tharsa, Dist. Nagpur