

Agriculture Technical School, Hiwara Gondia

(Dr. Panjabrao Dheshmukh Krishi Vidhyapeeth Akola)

Email: ats_gondia@rediffmail.com



No.ATS/Hiwara/ Quotation Notice/ 67/2026

Date: 02 / 06 /2026

Quotation Notice

To,

1. _____
2. _____
3. _____

Subject :- Quotation for Providing Shed for Goat unit under A.T.S. at Dr. P.D.K.V., Akola.

महोदय,

वरिल विषयाच्या अनुषंगाने आपणास कळविण्यात येते की, कृषि तंत्र विद्यालय हिवरा, गोंदिया येथिल 'शेळी' (Shed For Goat) तयार करणे आहे, सदर कामे खालील नमुद केल्या प्रमाणे आहेत तरी यासंबंधीचे निविदा दर पत्रक प्राचार्य कृषि तंत्र विद्यालय, हिवरा, गोंदिया यांचे नावे दि. १२/०६/२०२६ पर्यंत (कार्यालयीन वळेत) पाठविण्यात यावे. उशीरा प्राप्त झालेल्या निविदांचा विचार केला जाणार नाही.

Item No.	Particulars of Item	Qty.	Rate Without GST	Unit	Amount	Item No.
1	Excavation for foundation in hard murum including removing the excavated material upto distance of 50 metres beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift upto 1.50m) By Manual Means	3.36		Cum		
2	Providing and laying Cast in situ/Ready Mix cement concrete in M-10 of trap/ granite/ quartzite/ gneiss metal for foundation and bedding including bailing out water, Steel centering, formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing if required and curing complete, with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade)	1.68		Cum		


Principal
Agriculture Technical School
Hiwara, Gondia

Page

3	Providing and fixing in position TMT - FE - 500 bar reinforcement of various diameters for R.C.C. pile caps, footings, foundations, slabs, beams columns, canopies, .Lstaircase, newels, chajjas, lintels pardis, copings, fins, arches etc. as per detailed designs, drawings and schedules. including cutting, bending, hooking the bars, binding with wires or tack welding and supporting as required complete.	0.31		MT		
4	Providing and laying Cast in situ/Ready Mix cement concrete M-20 of trap /granite/quartzite/gneiss metal for R.C.C. beams and lintels as per detailed designs and drawings or as directed including steel centering, formwork, cover blocks,laying/ pumping, compactionand roughening the surface if special finish is to be provided and curing etc. complete. (Excluding reinforcement and structural steel). with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade)	1.93		Cum		
5	Providing fly ash brick masonry with conventional / I.S. type fly ash bricks in C.M. 1:6 in foundation and plinth including bailing out water manually striking joints, racking out joints watering and scaffolding etc. complete	5.80		Cum		
6	Providing and laying Cast in situ/Ready Mix cement concrete M-15 of trap/granite/quartzite/gneiss metal for coping to plinth or parapet, moulded or chamfered as per drawing or as directed including steel centering, plywood/ steel formwork compacting, roughening them if special finish is to be provided, finishing uneven and honeycombed surface and curing etc. complete. The Cement Mortar 1:3 plaster is considered for rendering uneven and honeycombed surface only. Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. (Wooden centering will not be allowed.) With fine aggregate (Crushed sand VSI Grade)	0.64		Cum		
7	Providing and fixing colour coated Zinalume (R) AZ150 (min 150 gms/sq.mt. total on each side) profiled sheets for roofing. The feed material is manufactured out of nominal 0.45 mm Base Metal Thickness (BMT) (0.5 mm TCT), Hi-strength steel with min.550 MPa yield strength, metallic hot dip coated with Aluminium-Zinc alloy (55% aluminium 43.4% zinc 1.6% silicon) with COLORBOND (R) steel quality superdurable polyester paint coat (with inorganic pigment). The paint shall have a total coating thickness of	57.00		Sqm		

H. Jaiswal
Principal

	nominal 35 um, comprising of nominal 25 um exterior coat on top surface and nominal 10 um reverse coat on back surface. Profile sheet shall have nom. 950-1050 mm effective cover width and nominal 25-30 mm deep ribs with subtle square fluting in the five pan at nominal 180-250 mm center- to-center. The end rib shall be designed for anti-capillary groove. and return leg. The feed material should have coil manufacturers product details marked a regular interval. Including fasteners with min. fastened with min. 25 um Zinc-Tin alloy coated, Hex head, self-drilling screw etc. complete. (weight of profile 4.52 Kilogram/ One Square Metre)				
8	Providing internal cement plaster 20mm thick in Single coats in cement mortar 1:4 without neeru finish, to concrete, brick surface, in all positions including scaffolding and curing etc.complete.	100.80		Sqm	
9	Providing and fixing mild steel grill gate as per the detailed drawing including hinges, locking arrangements and painting in three coats of oil paint of approved colour and shade etc. complete.(weight 18 Kilogram. to 20 Kilogram. Per Sq.m.) Spec.One Number: As directed by Engineer- in-charge	5.04		Sqm	
10	Chain link 3' - 0", 4' - 0" and 5' - 0" wide etc.complete.	60.00		Sqm	

अटि व शर्ती :-

१. दरपत्र हे प्राचार्य कृषि तंत्र विद्यालय हिवरा, गोंदिया यांचे नावे देण्यात यावे.
२. दरपत्रक कार्यालयीन वेळेत स्विकारल्या जातील.
३. सदर दरपत्रकातील सर्व दर दि. ०२/०६/२०२६ ते ३१/१२/२०२६ या कालावधी करिता राहतिल.
४. दरपत्रके स्विकारण्याचे अथवा नाकारण्याचे सर्व अधिकार प्राचार्य कृषि तंत्र विद्यालय हिवरा, गोंदिया यांनी राखून ठेवले आहेत.

K. Jantol

Principal
Agriculture Technical School
Hiwara, Gondia