

Principal Agriculture Technical School, Warud Pusad Dr. Panjabrao Deshmukh Krishi Vidyapeeth, Akola

No.ATSW/Farm/Seri/Quo/543/2025 ATSW, Dr.PDKV, Akola Date 21/11/2025

Quotation Notice

To,

- 1. Online Publication
- 2. Notice Board

Subject:- Supply the quotation for providing shed for sericulture unit under Agriculture Technical School, Warud, Pusad

Please arrange to supply sealed quotation for providing shed for sericulture unit under Agriculture Technical School, Warud, Pusad Dr. PDKV, Akola as per the particulars and conditions. The quotation should reach to this office by dated 05/11/2025

Agriculture Technical School, Warud

| Sr. No | Particulars | Quantit y | Unit | Rat e |
|-----------|--|--------------|------|----------|
| 1. | Excavation for foundation in earth, soil of all types, sand, gravel and soft murum, including removing the excavated material up to a distance of 50 m beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc complete. (Lift up to 1.5 m.) By Manual | 8.39 | Cum | |
| 2. | Filling in plinth and floors with contractor's material/brought from outside and approved by Engineer in charge in layers or 15 cm to 20cm including watering and compaction etc. complete | 4.66 | Cum | |
| 3. | Providing and laying Cast in situ 3.62 Ready Mix cement concrete in M-IO of trap/ granite quartzite/ gneiss metal for foundation and bedding including bailing out water. Steel centring, formwork, laying/pumping, compacting. roughening them special finish is to be provided, finishing if required and curing complete, with fully automatic microprocessor-based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Natural Sand/Crushed sand VSI Grade finely washed etc) | | Cum | |
| 4. | Providing second class Burnt 42.47 masonry with conventional/ IS t} pe bricks in cement mortar 1.6 in foundations and plinth of inner walls in plinth external walls including bailing out water manually, striking joints on unexposed faces raking out joints on exposed faces and watering etc. Complete | | Cum | |
| 5. | Providing second class burnt bricks 2,3,4 masonry with conventional IS. type bricks in content mortar 1-6 tor super structure of inner walls striking joints on unexposed faces, raking out joints on exposed faces and watering etc | | Cum | |
| | and watering etc | 0 | funt | |

| concrete in M20 of trap/ granite/quartzite/gneiss metal for bed blocks, foundation blocks and such other items including bailing out water, Steel centring, formwork laying/ pumping, compacting, roughening them if special finish is to be provided, finishing uneven and honeycombed surface and curing etc, complete. The Cement Mortar 1:3 plaster considered for rendering uneven and honeycombed surface only Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. 7. Providing internal cement plaster 20mm thick in Single coats in cement mortar 5 without neeru finish, to concrete brick surface, in all positions including scaffolding and curing etc complete 8. Providing structural steel work of rectangular hollow steel section for steel trusses, other similar trussed items like purlin and members with all bracing, gusset plates etc. as per detailed designs and drawings or as directed including cutting, fabricating, hoisting, erecting, fixing in position making riveted/bolted welded connections and one coat of anticorrosive paint and over it two coats of oil painting of approved quality and shade complete 9. Providing and fixing colour coated Zincalume profiled sheets for roofing. The feed material is manufactured out of nominal 0.45 mm Base Metal Thickness steel quality super durable polyester paint coat Including fasteners with min., self-drilling screw etc. complete. (weight of profile 4.52 Kilogram/Square Metre) 10. Providing and fixing colour coated Zincalume profiled plain sheets for ridge on roofing. The feed material is manufactured out of nonlinal 0.45 mm Base Metal Thickness steel quality super durable polyester paint coat Including fasteners with minimum, self-drilling screw etc. complete. (weight of profile 4.52 Kilogram/Square Metre) 11. Providing and applying three coats of water proof cement paint of approved manufacture and of approved colour to old plastered surfaces | | | The same of the sa | |
|---|-----|--|--|-----|
| 7. Providing internal cement plaster 20mm thick in Single coats in cement mortar 5 without neerur finish, to concrete brick surface, in all positions including scaffolding and curing etc complete 8. Providing structural steel work of rectangular hollow steel section for steel trusses, other similar trussed items like purlin and members with all bracing, gusset plates etc. as per detailed designs and drawings or as directed including cutting, fabricating, hoisting, erecting, fixing in position making riveted/bolted welded connections and one coat of anticorrosive paint and over it two coats of oil painting of approved quality and shade complete 9. Providing and fixing colour coated Zincalume profiled sheets for roofing. The feed material is manufactured out of nominal 0.45 mm Base Metal Thickness steel quality super durable polyester paint coat Including fasteners with min., self-drilling screw etc. complete. (weight of profile 4.52 Kilogram/Square Metre) 10. Providing and fixing colour coated Zincalume profiled plain sheets for ridge on roofing. The feed material is manufactured out of nonlinal 0.45 mm Base Metal Thickness steel quality super durable polyester paint coat Including fasteners with minimum, self-drilling screw etc. complete. (weight of profile 4.52 Kilogram/Square Metre) 11. Providing and applying three coats of water proof cement paint of approved manufacture and of approved colour to old plastered surfaces | | metal for bed blocks, foundation blocks and such other items including bailing out water, Steel centring, formwork laying/ pumping, compacting roughening them if special finish is to be provided, finishing uneven and honeycombed surface and curing etc, complete. The Cement Mortar 1:3 plaster considered for rendering uneven and honeycombed surface only Newly laid concrete shall be covered by gunny bag, plastic, tarpaulin etc. | | |
| 8. Providing structural steel work of rectangular hollow steel section for steel trusses, other similar trussed items like purlin and members with all bracing, gusset plates etc. as per detailed designs and drawings or as directed including cutting, fabricating, hoisting, erecting, fixing in position making riveted/bolted welded connections and one coat of anticorrosive paint and over it two coats of oil painting of approved quality and shade complete 9. Providing and fixing colour coated Zincalume profiled sheets for roofing. The feed material is manufactured out of nominal 0.45 mm Base Metal Thickness steel quality super durable polyester paint coat Including fasteners with min., self-drilling screw etc. complete. (weight of profile 4.52 Kilogram/Square Metre) 10. Providing and fixing colour coated Zincalume profiled plain sheets for ridge on roofing. The feed material is manufactured out of nonlinal 0.45 mm Base Metal Thickness steel quality super durable polyester paint coat Including fasteners with minimum, self-drilling screw etc. complete. (weight of profile 4.52 Kilogram/Square Metre) 11. Providing and applying three coats of water proof cement paint of approved manufacture and of approved colour to old plastered surfaces | 7. | Providing internal cement plaster 20mm thick in Single coats in cement mortar 5 without neeru finish, to concrete brick surface, in all positions | 60. 76 | Sqm |
| 9. Providing and fixing colour coated Zincalume profiled sheets for roofing. The feed material is manufactured out of nominal 0.45 mm Base Metal Thickness steel quality super durable polyester paint coat Including fasteners with min., self-drilling screw etc. complete. (weight of profile 4.52 Kilogram/Square Metre) 10. Providing and fixing colour coated Zincalume profiled plain sheets for ridge on roofing. The feed material is manufactured out of nonlinal 0.45 mm Base Metal Thickness steel quality super durable polyester paint coat Including fasteners with minimum, self-drilling screw etc. complete. (weight of profile 4.52 Kilogram/Square Metre) 11. Providing and applying three coats of water proof cement paint of approved manufacture and of approved colour to old plastered surfaces | 8. | Providing structural steel work of rectangular hollow steel section for steel trusses, other similar trussed items like purlin and members with all bracing, gusset plates etc. as per detailed designs and drawings or as directed including cutting, fabricating, hoisting, erecting, fixing in position making riveted/bolted welded connections and one coat of anticorrosive paint and over it two coats of oil | | Mt. |
| profiled plain sheets for ridge on roofing. The feed material is manufactured out of nonlinal 0.45 mm Base Metal Thickness steel quality super durable polyester paint coat Including fasteners with minimum, self-drilling screw etc. complete. (weight of profile 4.52 Kilogram/Square Metre) 11. Providing and applying three coats of water proof cement paint of approved manufacture and of approved colour to old plastered surfaces | 9. | Providing and fixing colour coated Zincalume profiled sheets for roofing. The feed material is manufactured out of nominal 0.45 mm Base Metal Thickness steel quality super durable polyester paint coat Including fasteners with min., self-drilling screw etc. complete. (weight | 38.64 | Sqm |
| Providing and applying three coats of water proof cement paint of approved manufacture and of approved colour to old plastered surfaces | 10. | Providing and fixing colour coated Zincalume profiled plain sheets for ridge on roofing. The feed material is manufactured out of nonlinal 0.45 mm Base Metal Thickness steel quality super durable polyester paint coat Including fasteners with minimum, self-drilling screw etc. complete. (weight of profile 4.52 | 7.00 | Rmt |
| including scarrolding if necessary, | 11. | Providing and applying three coats of water proof cement paint of approved manufacture and | 60.76 | Sqm |

| | preparing the surface, watering for two days etc. complete. | | |
|-----|---|-------|--|
| 12. | Providing & fixing in position Chain-link fencing having size 50x50 of 10gauge fix on M. S pipe & over 35.x4 mm m.s flat with welding etc complete. | 45.52 | |



CONDITIONS:

- 1. The quotation should be sent in sealed envelope on the name of undersigned.
- 2. On the enveloped following should be clearly mentioned in block letters Quotation notice for construction sericulture under at Agriculture Technical School, Warud (Pusad).
- 3. Price/Rates should be inclusive of all GST/CGST/VAT Tax and other expenses.
- 4. The GST/CGST/VAT of professional Tax No must be mentioned on quotation letter.
- 5. Civil contract certificate must be attached with quotation.
- 6. The GST Certificate, P.T. Certificate, PAN card and income Tax return of last two years must be attached with quotation.
- 7. Item available in ready stock and which can be supplied on placing firm orders, may only be quoted.
- 8. The payment of bill can only be made after satisfactory compliance of complete Supply/Work and hence condition such as full or partial payment in advance, etc are not acceptable.
- 9. Details specification, make, models, manufacturer, accessories, required. The Quotation for the items for which rate a quoted. The incomplete Details/ specification are liable to be rejected.
- 10. Time period for which the quotation will be valid should be clearly mentioned. Further the validity period should be up to 05/12/2025
- 11. Quotation received after order date will not be considered.
- 12. Conditional quotations are liable to be rejected.
- 13. The undersigned reserves full right to reject any r all quotation without assigning reasons thereof.
- 14. Authorization letter/Certificate in the support of the authorization dealers of the company may be attached with the quotation.15. The received sealed envelope quotations will be opened on 08/12/2025 at 10.00
- 15. The received sealed envelope quotations will be a presence of staff members. am in the chamber of undersigned presence of staff members.

Agriculture Technical School, Warud (Pusad)