AGRO ECOLOGY & ENVIRONMENTAL CENTER DR. PANJABRAO DESHMUKH KRISHI VIDYAPEETH, AKOLA (M.S.)

Dr. R. L. Isal Director



No./AEEC/ 23 /2024

Dated. 16 /02 /2024

OUOTATION NOTICE

To, प्रशास आहे जारी हती	कंत्रांच्य मारीनी प्रणामी करे.
र्रा में हे हार्ज अवेता	

Subject: Quotation for supply of complete sprinkler irrigation set. Reg..... Dear sir,

With reference to the above cited subject, please arrange to send the quotation for the supply of complete Sprinkler irrigation set. The particulars, terms & conditions for supply are mentioned below.

Sr. No.	Particular	Specification	Approx. quantity required
1.	Sprinkler Set (Make- Jain Irrigation system Ltd)	 75 mm 3.2 kg/cm2 HDPE Sprinkler Pipes (ISI Mark)= 30 pieces 75 mm HDPE Bend (ISI Mark)= 01 pieces 75 mm HDPE Tee (ISI Mark)= 01 pieces 75 mm Foot bottom (ISI Mark)= 08 pieces Riser GI Pipe ³/₄" (ISI Mark)= 08 pieces Metal nozzle (ISI Mark)= 08 pieces 75 mm End cap (ISI Mark)= 02pieces 75 mm HDPE PCN (ISI Mark)= 01 pieces 	02_Complete Set

Terms and conditions For supply

- 1 The Quotation should be given on the letter pad of the firm/Institute/Corporation.
- 2 The Quotation should be given in the name of Director, Agro Ecology and Environment Center, Dr.P.D.K.V., Akola.
- 3 Mention "Quotation for supply of supply of complete sprinkler irrigation set' on sealed envelope.
- 4 The Quotation should reach in this office on or before .7 103 124... up to 6.15 P.M.
- 5 Quotation received late will not be entertained.
- 6 The quotation will be accepted on all working days between 09.45 A.M. to 6.15 P.M.
- 7 The rates should be inclusive of all taxes and charges etc. with delivery in the name of **Director**, **Agro Ecology and Environment Center**, **Dr.P.D.K.V.**, **Akola**.
- 8 The rates quoted will have to be accepted for a period of six months from the date of opening of the quotation.
- 9 The power of accept whole or part of the quotation or to reject the name is reserved with the Director, Agro Ecology and Environment Center, Dr.P.D.K.V., Akola.
- 10 The material will have to be supplied as the specifications with 7 days from the date of acceptance of the work order/supply order.
- 11 In the event of failure to supply the material within the specified period, the undersigned will be authorized to cancel the order to supply.
- 12 The quantity required is subject to variation.

Director
Agro Ecology & Environment Center,
Dr. P.D.K.V.,Akola