

AICRP for Dryland Agriculture
Dr. Panjabrao Deshmukh Krishi Vidyapeeth, Akola

No. AICRPDA/ 404 /2022

Date: 04/03/2022

QUOTATION NOTICE

To,

Subject: Quotation notice for Chain link fencing at AICRP for Dryland Agriculture, Dr. PDKV, Akola field.


Dear Sir,

Under AICRP for Dryland Agriculture, Dr. PDKV, Akola, **Chain link fencing** of around 1000 running feet length has to be undertaken. You are therefore requested to offer your most comparative rates towards this work. Rates should be coated including all taxes. Furnish quotations under sealed cover so as to reach this office on or before **11.03.2022** upto 5:00 p.m.

S.N.	Particulars	Rate should be quoted per	Rate
1	MS Angle (Pole) Height : 8 ft Size : 50 x50x 5 mm along with holes at 9 inch & hole pass at bottom, alongwith oil coat painting.	01 No	—
2	Chain link Galvanized Steel Wire (12 gauge) having hole size 65 x 65 mm in square mesh Bundle Size : 5ft x 50ft	Per bundle	—
3	Galvanized barbed wire 12 gauge	01 kg	—
4	Support angle (pole) along with oil coat painting Height : 7ft Size : 35x35x5mm	01 No.	—
5	MS Flat Height : 5ft with holes at 9 inch Size : 25x5mm	01 No.	—
6	Nut bolts 6 nos. per pole	01 kg	—
7	U-pins 12 gauge wire U-pin	01 kg	—
8	Galvanized wire 18 No.	01 kg	—
9	Cement bags Make : Ambuja / Ultratek (30kg bag)	01 Bag	—
10	Stone crush (Gitti & Churry)	01 baras	—
11	Installation Charges for Chain link fencing Digging of holes : Size (W x D) – 1.5 x 2 feet along with trenching Cement concreting of iron pole, Fitting of chain link fencing along with support angle and MS Flat with nut bolt. Fitting of barbed wire in 3 layers. One layer at bottom of chain link and Two layers at the top of chain link.	01 Pole	—

Conditions:

1. The quotation should be sent in sealed envelope.
2. On the envelope following should be clearly mentioned in block letters.
Quotation notice of **Chain link fencing** to AICRP for Dryland Agriculture field, Dr. PDKV, Akola 2021-22.
3. Extra charges on part of transportation/ labour/fuel, etc. will not be provided.
4. The quotation received after due date will not be accepted.
5. The undersigned reserve the right to accept or reject any or all quotations.
6. The contractor have to submit the Xerox copies of valid license/pan card no./GST/Bank Pass Book account/ Identity card/Insurance etc. alongwith the quotation for undertaking the above mentioned work.
7. The contractor should have the valid R.C. Book/license/pan no./insurance/GST/ etc. of the machineries to be used at the site for undertaking the above mentioned work. This office will not be responsible for any lacuna in the necessary documents or process.
8. The work should be undertaken as per directives of this office personals and the technical specifications should be followed strictly. If proper technicability in work is not observed /followed then the work will be withdrawn.
9. Before commencement of the work the contractor whose rates will be lowest and will fulfill all the required conditions have to give the written undertaking on 100 Rs. Stamp paper towards completion of the work once started. In any case the work should not be left in between. Partial payment will not be done in any circumstances. This office will not be responsible for any such circumstances/payments.
10. The work should be undertaken immediately at Dryland field (within 2 days) after receiving the work commencement order from this office.


Chief Scientist
AICRP for Dryland Agriculture
Dr. PDKV, Akola