

DEPARTMENT OF ENTOMOLOGY

DR. PANJABRAO DESHMUKH KRISHI VIDYAPEETH, AKOLA

No. HD/ENT/ 803 /2025

Date:- 01/10/2025

QUOTATION ENQUIRY NOTICE

To,

In-charge,
Agricultural Research Information System Cell (For wider publicity)
Dr. PDKV, Akola


Subject: Quotations called for Remi Make research centrifuge (Model PR 23) and Rotor Head regarding...

Please arrange to send the Quotations duly sealed should be addressed to the undersigned and super scribed envelop with "**Quotation for Remi Make research centrifuge (Model PR 23) and Rotor Head**" to this office on or before **17:00 hrs on 09/10/2025**. The particulars are mentioned below,

Sr. No.	Particulars Make: Remi	Quantity required	Rate (Rs.)/Unit including G.S.T. along with Installation and transportation charges
1.	Model PR 23 Research centrifuge Stepless speed regulator with zero start interlock, Digital speed indicator, Imbalance detector with cut-off RPM: 7000 W X DX H: 400 X 500 X 400	01	
2.	Rotor Head Capacity: 6 X 200 ml Type of Rotor: Angular Type of container: Plastic	01	

Terms and conditions:

1. The quotations should be in the name of **Head, Department of Entomology, Dr. P.D.K.V., Akola**.
2. The rates quoted should be inclusive of all levies, taxes, CGST/SGST with delivery at **Head, Department of Entomology, Dr. P.D.K.V., Akola**.
3. Quotation received late will not be entertained.
4. The rates should be valid till for six months from the date of opening of the quotations.
5. The rate of CGST and SGST clearly be mention along with price specification of the items.
6. The right to accept or to reject whole or part of quotation is reserved with the undersigned without assigning any reason.
7. The material will have to be supplied as per the specification and make quoted in the quotation.
8. No any labor cost and labors will be provided by this office during supply.
9. In the event of failure to supply the material within the specified time period the undersigned will have discretion to cancel the order.
10. The quantities and the sets are required is subject to variation.


Head
Department of Entomology
Dr. P.D.K.V., Akola