



DEPARTMENT OF PLANT PATHOLOGY
DR.PANJABRAO DESHMUKH KRISHI VIDYAPEETH, AKOLA
P.O.KRISHINAGAR, AKOLA-444104 (M.S.) INDIA

HEAD
Dr. M.V. Totawar
M.Sc. (Agri.) Ph.D. (Pl.Path.)

Phone 0724-2258200 – 17 Extn 1047
Cell no.8830838544

No. HDPP/Store/Quot/308 /2026

Date: 17 /07 /2026

QUOTATION NOTICE

Subject: Quotation for False Ceiling by CPVC material with electrification for the laboratory in the Plant Pathology Department.

Particulars and condition of work is to be carried out is as mentioned below.

Sr.No	Specifications	Total Area (Sq.Feet)
1.	False Ceiling by CPVC material with electrification	600

Terms and conditions of supply.

- The quotation should be in the name of The Head, Department of Plant Pathology, Dr. PDKV, Akola
- The quotation should reach in this office on or before 23/07/26
- The quotation will be accepted on all working days between 10.00 am to 5.30 pm.
- The rates quoted will have to be inclusive of all taxes with delivery at Head, Department of Plant Pathology, Dr. PDKV, Akola
- The rates quoted will have to be accepted for a period of six months from the due date fixed for opening the quotation.
- The right to accept whole or part of the quotation or reject is reserved with the undersigned without assigned reason thereon.
- The material / work will have to be supplied as per specification within 30days from the date of acceptance of quotation.
- In the event of failure to supply the material / work within the specified period, the undersigned will be authorized to cancel or extend the order of supply.
- The payment will be done through bank only after supply of material in good condition. No advance payment will be made.
- It is essential to mentioned the sales tax, registration No. etc. of the supplier firm.


Head,

Department of Plant Pathology
Dr. PDKV, Akola (M.S.) 444104