



**Department of Vegetable Science**  
**Dr. Panjabrao Deshmukh Krishi Vidyapeeth, Akola**

No/HD/VS/Quot/Publish/ 900/2024-25

Dated: 14/10/2025

**QUOTATION NOTICE**

**To,**

1. Online publication
2. Notice board

**Subject:** - Supply the quotation for Construction of Entrance Gate at Instructional Farm, Department of Vegetable Science, Dr. PDKV, Akola... reg.

Please arrange to supply sealed quotation for Construction of Entrance Gate at Instructional Farm, Department of Vegetable Science, Dr. PDKV, Akola as per the particulars and conditions attached separately.

Note : The quotation should reach to this office by dated. 27/10/2025

  
Head  
Dept. Vegetable Science  
Dr. P.D.K.V., Akola

## CONDITIONS :

1. The quotation should be sent in sealed envelope on the name of undersigned.
2. On the enveloped following should be clearly mentioned in block letters, **Quotations notice for Construction of Entrance Gate at Instructional Farm, Department of Vegetable Science, Dr. PDKV, Akola, Enquiry letter no. HD/VS/Quot./Publish/ १०० /2025-26, dated: 17/10/2025**
3. Price / rates should be 'inclusive of all GST/CST/VAT taxes and other expenses.
4. The **GST/CST/VAT or Professional tax no.** must be mentioned on quotation letter.
5. **Civil contract certificate** must be attached with quotation.
6. **GST certificate, PTA certificate, PAN card and income tax return off last two years** must be attached with quotation.
7. Item available in ready stock and which can be supplied on placing firm order, may only be quoted.
8. The payment of bill can only be made after satisfactory compliance of complete supply/work and hence condition such as full or partial payment in advance, etc, are not acceptable.
9. Details specification, make, models, manufacturer, accessories, required. The quotation for the items for which rates a quoted. The incomplete details/ specification are liable to be rejected.
10. Time period for which the quotation will be valid should be clearly mentioned. Further the validity period should be up to **31<sup>st</sup> March, 2026.**
11. Quotation received after order date will not be considered.
12. Conditional quotations are liable to be rejected.
13. The undersigned reserves full right to reject any or all quotation without assigning reasons thereof.
14. Authorization letter/ certificate in the support of the authorization dealer of the company may be attached with the quotation.
15. The received sealed envelope quotations will be opened on **24/ 09 /2025 at 10.00 am.** in the chamber of undersigned in presence of staff members.

  
**Head**  
**Dept of Vegetable Science,**  
**Dr. P.D.K.V., Akola**

**Department of Vegetable Science,  
Dr. PDKV, Akola**



**QUOTATION NOTICE**

**Name of Work :-** Construction of Entrance Gate at Instructional Farm, Department of Vegetable Science, Dr. PDKV, Akola

**Year : 2025-26**


**Name of Work:** Construction of Entrance Gate at Instructional Farm, Department of Vegetable Science, Dr. PDKV, Akola

**“ABSTRACT SHEET”**

| S.N. | Qty.     | Description of Items                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Unit | Rates quoted |
|------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------------|
| 1    | 5.76 Cum | Excavation for foundation in earth, soil of all types, sand, gravel and soft murum, including removing the excavated material up to a distance of 50 m. beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift upto 0.00 to 1.50 m.) By Manual Means<br>EDSR NO. 21.01                                                                                                            | Cum  |              |
| 2    | 1.80 Cum | Excavation for foundation in earth, soils of all types, sand, gravel and soft murum, including removing the excavated material upto a distance of 50 metres beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift from 1.5m to 3.0m) By Manual Means<br>EDSR NO. 21.03                                                                                                           | Cum  |              |
| 3    | 7.18 Cum | Disposing of excavated material obtained from widening excavation and from debries including all leads and lifts as directed etc complete for 5 Km lead                                                                                                                                                                                                                                                                                                                                                                                         | Cum  |              |
| 4    | 0.18 Cum | Providing and filling in the foundation with sand of approved quality including watering, compacting etc. complete. (To be executed with prior approval of Superintending Engineer)<br>EDSR NO. 21.39                                                                                                                                                                                                                                                                                                                                           | Cum  |              |
| 5    | 1.08 Cum | Providing soling using 80 mm size trap metal in 15 cm. layer including filling voids with Crushed sand/grit, ramming, watering etc. complete.<br>EDSR NO. 21.40                                                                                                                                                                                                                                                                                                                                                                                 | Cum  |              |
| 6    | 0.54 Cum | Providing and laying Cast in situ/Ready Mix cement concrete in M-10 of trap/ granite/ quartzite/ gneiss metal for foundation and bedding including bailing out water, Steel centering, formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing if required and curing complete, with fully automatic micro processor based PLC without SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade)<br>EDSR NO. 24.01 | Cum  |              |
| 7    | 1.28 Cum | Providing and laying in situ /Ready Mix cement concrete M-20 of trap / granite/quartzite/ gneiss metal for R.C.C. work in foundations like raft, strip foundations, grillage and footings of R.C.C. columns and steel stanchions etc. including bailing out water, Steel centering formwork, laying/pumping cover blocks, compaction and curing roughening the surface if special finish is to be provided (Excluding reinforcement and                                                                                                         | Cum  |              |

|    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |     |  |
|----|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--|
|    |             | processor based PLC without SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Natural Sand / Crushed sand VSI Grade finely washed etc)<br>EDSR NO. 25.11                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |     |  |
| 8  | 4.08<br>Cum | Filling in plinth and floors with contractors material/brought from outside and approved by Engineer incharge in layers of 15 cm to 20 cm including watering and compaction etc. complete.<br>EDSR NO. 21.37                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Cum |  |
| 9  | 2.19<br>Cum | Providing and laying Cast in situ/Ready Mix cement concrete M-20 of trap / granite/quartzite/ gneiss metal for R.C.C. columns as per detailed designs and drawing or as directed including steel centering, formwork, cover blocks, laying/pumping, compaction finishing the formed surfaces with cement mortar 1:3 of sufficient minimum thickness to give a smooth and even surface or roughening if special finish is to be provided and curing etc. complete,(Excluding reinforcement and structural steel).with fully automatic micro processor based PLC without SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade)<br>EDSR NO. 25.31 | Cum |  |
| 10 | 0.83<br>Cum | Providing and laying Cast in situ/Ready Mix cement concrete M-20 of trap / granite/quartzite/ gneiss metal for R.C.C. beams and lintels as per detailed designs and drawings or as directed including steel centering, formwork, cover blocks, laying/pumping, compaction and roughening the surface if special finish is to be provided and curing etc. complete. (Excluding reinforcement and structural steel). with fully automatic micro processor based PLC without SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Natural Sand / Crushed sand VSI Grade finely washed etc) EDSR NO. 25.50                                                                | Cum |  |
| 11 | 0.28<br>Cum | Providing fly ash brick masonry with conventional/ I.S. type bricks in cement mortar 1:6 in superstructure including striking joints, raking out joints, watering and scaffolding etc. Complete<br>EDSR NO. 27.13                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Cum |  |
| 12 | 0.09<br>Cum | Providing and laying Cast in situ/Ready Mix cement concrete in M-20 of trap/ granite/ quartzite/ gneiss metal for R.C.C.coping to plinth or parapet and sill of doors and windows moulded as per detailed drawings or chamfered as approved by the Engineer including steel centering, formwork, cover blocks, laying/pumping, compacting , curing , finishing and roughening them if special finish is to be provided and curing complete. (Excluding reinforcement and structural steel structural steel).with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade)                          | Cum |  |

|    |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |         |  |
|----|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--|
| 13 | 0.329<br>MT  | Providing and fixing in position TMT - FE - 500 bar reinforcement of various diameters for R.C.C. pile caps, footings, foundations, slabs, beams columns, canopies, staircase, newels, chajjas, lintels pardis, copings, fins, arches etc. as per detailed designs, drawings and schedules. including cutting, bending, hooking the bars, binding with wires or tack welding and supporting as required complete.<br>EDSR NO. 26.33                                                                     | MT      |  |
| 14 | 14.30<br>Sqm | Providing sand faced plaster externally in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1 kg per cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 6 to 8 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.complete.<br>EDSR NO 32.11 | Sqm     |  |
| 15 | 14.30<br>Sqm | Providing and applying two coats of exterior weather shield paint of approved manufacture and of approved colour to the plastered surfaces including cleaning ,preparing the plaster surface ,applying primer coat,scaffolding if necessary, and watering the surface for two days etc complete. NOTE: For Item One Number 15 to 18 prior approval of Superintending Engineer will be necessary"<br>EDSR I. No. 35.26                                                                                   | Sqm     |  |
| 16 | 3.68<br>Sqm  | Colouring, Painting and Drawing Scenery, Letters Figures, Pictures, Artistically on Plastered wall exteranally and internally in oil paint including all material and base coat etc.<br>SE Approved letter No. 3846 dated 12-7-2021                                                                                                                                                                                                                                                                     | Sqm     |  |
| 17 | 3.68<br>Sqm  | Providing and fixing mild steel grill gate with angle iron frame 65mm x 65mm x 10mm with iron bars at 150mm C/C and diagonal flats as per the detailed drawing including hinges, pivot block locking arrangement, weldingriveting and oil painting of three coats of approved shade Weight of gate 35 Kilogram/Smt.<br>E-DSR I. No. 44.10                                                                                                                                                               | Sqm     |  |
|    |              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Total = |  |

  
 Head  
 Dept. Vegetable Science  
 Dr. P.D.K.V., Akola