AICRP on POST HARVEST TECHNOLOGY

DR. PANJABRAO DESHMUKH KRISHI VIDYAPEETH, AKOLA

No. RE/PHET/47	D/2021
----------------	--------

Date: 99/12/2021

	QUOTATION NOTICE
To	

Subject: Quotation for Inverter Batteries with GST rate

It is requested to give your quotation for the inner of Call I are the inner o

It is requested to give your quotation for the items specified below so as to reach this office on date 05/01/2022 up to 15.00 hours.

Sr.No.	Particulars	Qty.	Volt	Ampier	Rate per Unit
1.	Battery	1	12 Volt	150 Ampier	•
2.	Buyback Old Battery	4	12 Volt	150 Ampier	
	Microtek Company			1	

Battery required as per Inverter- Microtek Company JM SW 3.6 KVA

Battery: 150 Ampier and 12 volt

Terms and conditions are as follows --

While quoting the prices, the instructions on the overleaf may please be noted carefully.

- 1) The quotation should be sent in sealed envelope.
- 2) On the envelope following should be clearly mentioned in capital letters: Submitted to the Office of Research Engineer Post Harvest Engineering & Technology, Dr. P.D.K.V. Akola. Quotation for "Rates for supply of Batteries of Inverter" Enquiry Letter No.: PHET/Quot. Notice /472 /2021 Dt29 / /2 / 2021
- 3) Prices or rates should be "All inclusive" (i.e. inclusive of all taxes ,octroi, tariffs and expenses) for Post Harvest Engineering & Technology, Akola.
- 4) The payment of bill can only be made after satisfactory compliance of complete order.
- 5) Quotation received after 05/01/2022 will not be considered.
- 6) Time, period for which the quotation will be valid should be clearly mentioned. Further, the validity period should be at least 3 months. Quotations of lesser validity are liable to be rejected.
- 7) Material will have to be reach within 10 days/stipulated time or as specified or even in fewer periods than 10 days/stipulated time from the date of issue of supply order.
- 8) The undersigned reserves full right to reject any or all the quotations without assigning any reason thereof.

Research Engineer
AICRP on PHET,
Dr. PDKV, Akola