


## Dr. Panjabrao Deshmukh Krishi Vidyapeeth, Akola KRISHI VIGYAN KENDRA,SELSURA

Post: Selsura, Dist. Wardha (M.S.)- 442 001

Phone/FAX: (07152) 287085 E-mail: kyk.wardha@gmail.com

Dr. Jivan R. Katore Programme Coordinator





NO. / KVK /Selsura / 645 / 2024		Dated: 05/08/2024
	Quotation Notice	
To,		
Application and the commission was also that they have also than their than		
diff. No. No. has been been been done to the property and the little of the state.		
den dies den den den den den den den den sen den den den den den den den		
Subject: Quotation for Supply Iron R	ack and Table	

Interested parties/suppliers are requested to submit quotation for the following on or before 12.08.2024 in office working days and the quotation will be open on the same day.

S.N.	Name of Item	Size	Qty (Tentative)	Rate
1	Iron Rack with 4 Self, heavy	72" x 15" x 44"	08	-
2	Table Wooden top	2' x 4'	94	

While quoting the prices, the instructions on the overleaf may please be noted carefully

- On the envelope following should be clearly mentioned in block capital letters: Submitted to the Office of the Senior Scientist & Head, Krishi Vigyan Kendra, Selsura Dist. Wardha Quotation for Iron Rack, Almirah and Table Enquiry Letter No.KVK/Selsura/ /2024 Dt.
- 2) Quotation should reach to this office on or before due date 12.08.2024.
- 3) The quotation will have to be inclusive all (i.e. inclusive of all taxes, octroi, tariffs, expenses) at KVK, Selsura Dist. Wardha (Dr.PDKV).
- 4) The material will have to be supplied as per specifications within 05 days from the date of issue of the supply order or as indicated in the order with warranty.
- 5) In the event of failure to supply the material within the specified period, the undersigned will be authorized to cancel the order for supply.
- 6) The Payment of bill will only be made after satisfactory compliance of complete order, and conditions such as full or partial payment in advance will not be acceptable.

Senior Scientist & Head Krishi Vigyan Kendra, Selsura