


To,

Dear Sir,

Subject: INVITATION FOR QUOTATION OF FURNITURE AND FIXTURES#

1. You are invited to submit your most competitive quotation for the following Goods:-

| SN | Brief Description of the goods | Specifications* | Quantity ** | Delivery Period | Place of Delivery | Installation requirement if any | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|--------------------------------|---|-------------|-----------------|-------------------|---------------------------------|----------------|----------|----------|-------|-----------------|----------|-----------|-------|---------------|----------|---------|-------|----------------|----------|----------|-------|-----------------|----------|-----------|-------|---------------|----------|---------|-------|----------------|----------|----------|-------|-----------------|----------|-----------|-------|---------------|----------|---------|-------|-------------------------------------|---|---------------------------|------------------------------------|
| 1. | E-class room training tables | <p>Features and specifications required:</p> <p>Foldable desks and seats for lecture theater furniture The unique design offers foldable seats and desk that are easy to operate, give a neat open look and saves aisle space when folded in, allowing to accommodate more people in the same space.</p> <p>Plug and Play Easy in-built plug and play feature facilitates interactive learning thus making use of laptops, LCDs, audio visual equipment more easily inbuilt wire management.</p> <p>Hooks for more Utility Hooks on the side of the desk allow bags to be hung beside each desk for storage and easy access.</p> <p>Cushioned Seat Comfort is assured through long hours of information sharing, seminars or learning process with cushioned seats that keep fatigue at bay.</p> <p>Grouted Understructure Grouted understructure assures of sturdiness and fixed position thus ensuring organized lecture hall</p> <p>Ergonomic design maintains the correct distance between desk and seat that ensures correct posture while writing or using a laptop etc. It is offered as a set of front, middle & rear units. Middle unit can be offered in multiples as per seating capacity requirements.</p> <p>The Front Unit comes with a modesty panel for a uniform look. The Middle Unit is a combination of desk and seat with a common panel that helps optimize space. Also, the rear unit sports a back support for additional comfort.</p> <p>Ergonomically design and comfort. Including complete installation and fittings. Indian Design Mark Certified</p>  <p style="text-align: center;">Layout design for E-classroom table</p> <table border="1"> <thead> <tr> <th>Model</th> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>2 Seater Front</td> <td>137.4 cm</td> <td>69.85 cm</td> <td>89 cm</td> </tr> <tr> <td>2 Seater Middle</td> <td>137.4 cm</td> <td>107.95 cm</td> <td>89 cm</td> </tr> <tr> <td>2 Seater Rear</td> <td>137.4 cm</td> <td>75.1 cm</td> <td>89 cm</td> </tr> <tr> <td>3 Seater Front</td> <td>204.4 cm</td> <td>69.85 cm</td> <td>89 cm</td> </tr> <tr> <td>3 Seater Middle</td> <td>204.4 cm</td> <td>107.95 cm</td> <td>89 cm</td> </tr> <tr> <td>3 Seater Rear</td> <td>204.4 cm</td> <td>75.1 cm</td> <td>89 cm</td> </tr> <tr> <td>4 Seater Front</td> <td>271.3 cm</td> <td>69.85 cm</td> <td>89 cm</td> </tr> <tr> <td>4 Seater Middle</td> <td>271.3 cm</td> <td>107.95 cm</td> <td>89 cm</td> </tr> <tr> <td>4 Seater Rear</td> <td>271.3 cm</td> <td>75.1 cm</td> <td>89 cm</td> </tr> </tbody> </table> | Model | Width | Depth | Height | 2 Seater Front | 137.4 cm | 69.85 cm | 89 cm | 2 Seater Middle | 137.4 cm | 107.95 cm | 89 cm | 2 Seater Rear | 137.4 cm | 75.1 cm | 89 cm | 3 Seater Front | 204.4 cm | 69.85 cm | 89 cm | 3 Seater Middle | 204.4 cm | 107.95 cm | 89 cm | 3 Seater Rear | 204.4 cm | 75.1 cm | 89 cm | 4 Seater Front | 271.3 cm | 69.85 cm | 89 cm | 4 Seater Middle | 271.3 cm | 107.95 cm | 89 cm | 4 Seater Rear | 271.3 cm | 75.1 cm | 89 cm | Seating arrangement for 60 students | After awarding the contract & the period of validity of quotation | NAHEP, Deptt. of UCES& EE | Yes with installation and fittings |
| Model | Width | Depth | Height | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 Seater Front | 137.4 cm | 69.85 cm | 89 cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 Seater Middle | 137.4 cm | 107.95 cm | 89 cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 Seater Rear | 137.4 cm | 75.1 cm | 89 cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 Seater Front | 204.4 cm | 69.85 cm | 89 cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 Seater Middle | 204.4 cm | 107.95 cm | 89 cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 Seater Rear | 204.4 cm | 75.1 cm | 89 cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 Seater Front | 271.3 cm | 69.85 cm | 89 cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 Seater Middle | 271.3 cm | 107.95 cm | 89 cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 Seater Rear | 271.3 cm | 75.1 cm | 89 cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2. | Executive chairs | <p>High Back High back Executive chair, cushioned seat and back, cushioned plastic arms, Tilt mechanism, gas-lift mechanism, nylon wheels, Leatherette tapestry.</p> <p>These designs represent the ideals of cutting excess, practicality, an absence of decoration and ergonomically design and comfortable. The forms of furniture are visually light (like in the use of polished metal and engineered wood) and follow minimalist principles of design which are influenced by architectural concepts like the cantilever.</p> <table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> <th>Seat Height</th> </tr> </thead> <tbody> <tr> <td>21"</td> <td>19"</td> <td>48"</td> <td>19"</td> </tr> </tbody> </table> | Width | Depth | Height | Seat Height | 21" | 19" | 48" | 19" | 03 nos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Width | Depth | Height | Seat Height | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 21" | 19" | 48" | 19" | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3. | Office tables | <p>L- type shape for office use Vast work area to suit large offices. Simple yet functional design to ensure comfort. Perforated black powder coated metal modesty panel for air ventilation in high quality and lighter look with PU coated or postformed laminated top. Ample storage available through the wide variety of Credenzas Efficient wire management through hollow tubular legs and</p> | 02 nos | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | cut-outs on the work surface, veneer and laminate ergonomically design and comfortable. Main Desk: 1500W x 800D x 750H mm Side Unit: 900W x 600D x 750H mm Credenza: 1145W x 460D x 750H mm With drawers and locker | | | | | | | | | |
|---------|--------------------|--|--------|-------|--------|---------|---------|----------|--|--|--|
| | | Square tubular frame, 3 drawers unit in one side, computer table with pullout tray for keyboard. CPU holder ensures that the CPU does not take space on the floor. Sufficient storage provided in the pedestal takes care of your storage requirements ergonomically design and comfortable. | 04 nos | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>135 cm</td> <td>75 cm</td> <td>72.8 cm</td> </tr> </tbody> </table> | Width | Depth | Height | 135 cm | 75 cm | 72.8 cm | | | |
| Width | Depth | Height | | | | | | | | | |
| 135 cm | 75 cm | 72.8 cm | | | | | | | | | |
| 4. | Cupboards | for office use, Steel IS 513 All steel parts are finished in high quality powder coating. Provides maximum storage with 4 adjustable shelves that can store just about anything. 3 way locking system and 6 lever godrej lock with S. S. keys in duplicate for security and safety. Plastic shoes provided to protect from detergent and water during floor cleaning & also level adjustment. Welded and knock-down construction. | 8 nos | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>91.6 cm</td> <td>48.6 cm</td> <td>198.1 cm</td> </tr> </tbody> </table> | Width | Depth | Height | 91.6 cm | 48.6 cm | 198.1 cm | | | |
| Width | Depth | Height | | | | | | | | | |
| 91.6 cm | 48.6 cm | 198.1 cm | | | | | | | | | |
| 5. | Book cases | Glass-steel cupboard with 2 glass doors with 4 parts and godrej lock with S. S. keys in duplicate for office use. All steel parts are finished in high quality powder coating. Plastic shoes provided to protect from detergent and water during floor cleaning & also level adjustment. Provides maximum storage with 4 adjustable shelves that can store just Equalizing mechanism for trouble-free opening and closing. 10 lever cam godrej lock for added security. | 05 nos | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>91.6 cm</td> <td>48.6 cm</td> <td>198.1 cm</td> </tr> </tbody> </table> | Width | Depth | Height | 91.6 cm | 48.6 cm | 198.1 cm | | | |
| Width | Depth | Height | | | | | | | | | |
| 91.6 cm | 48.6 cm | 198.1 cm | | | | | | | | | |
| 6. | Office chairs | Adjustable Seat Height, Armrest, Locking Mechanism, Recline, Seat Lock, Swivel, Wheels W x H: 49 cm x 101 cm (1 ft 7 in x 3 ft 3 in) Frame Material: Plastic Upholstery Type: Cushion | 08 nos | | | | | | | | |
| | | Lacquer Finish Synthetic Resin Medium Back With Arms With Seat & Back Cushion. Height:815mm Width:560mm Depth:560mm | 20 nos | | | | | | | | |
| 7. | Computer tables | Ample storage with 2 box and 1 file drawers arrangement made up of pre laminated. CPU and keyboard space provided. | 02 nos | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>120 cm</td> <td>60 cm</td> <td>75 cm</td> </tr> </tbody> </table> | Width | Depth | Height | 120 cm | 60 cm | 75 cm | | | |
| Width | Depth | Height | | | | | | | | | |
| 120 cm | 60 cm | 75 cm | | | | | | | | | |
| 8. | File racks | Single Sided Wood & Steel File Rack Substantial storage area due to width-wise stack ability and multiple loading levels. Main Unit features label holders for easy identification. Main unit also has a 2-way range indicator which helps in identifying the broad content from the aisle. Stands enable easy cleaning. | 05 nos | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>90 cm</td> <td>30 cm</td> <td>185 cm</td> </tr> </tbody> </table> | Width | Depth | Height | 90 cm | 30 cm | 185 cm | | | |
| Width | Depth | Height | | | | | | | | | |
| 90 cm | 30 cm | 185 cm | | | | | | | | | |
| 9. | Filing cabinets | 2 drawers Filing Cabinet Overall size: H-27" x W-18.5" x D-24.5" Clear inside dimension of each drawer size: H-250 x W-385 x D-560(mm) All steel parts are finished in high quality powder coating. An anti-rebound mechanism to prevent the drawer from coming out after it is pushed in. An anti-tipping mechanism that allows only one drawer to be opened at a time to prevent toppling over of the cabinet. | 02 nos | | | | | | | | |
| 10. | Book display racks | Glass-steel Book case with 4 doors inside sliding glass shutters with lock with S. S. keys in duplicate for office use. All steel parts are finished in high quality powder coating. Unique design provides right rigidity for the top hinged doors. Equalizing mechanism for trouble-free opening and closing. | 01 nos | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>91.4 cm</td> <td>32 cm</td> <td>94.7 cm</td> </tr> </tbody> </table> | Width | Depth | Height | 91.4 cm | 32 cm | 94.7 cm | | | |
| Width | Depth | Height | | | | | | | | | |
| 91.4 cm | 32 cm | 94.7 cm | | | | | | | | | |

Note: Specify Make, Model and detail specification of furniture in quotation

**** Quantity of work may be varies.**

*** Where ISI certification marked Goods are available in market, procurement should generally be limited to goods with those or equivalent marketing only.**

At the time of quotation opening undersign may asked for the furniture sample or direct visit, if required.

2. Government of India has received a financing from the International Bank for Reconstruction and Development (IBRD) in various currencies towards the cost of the National Agricultural Higher Education Project (NAHEP) and intends to apply part of the proceeds of this Loan to eligible payments under the contract for which this invitation for quotations is issued.

3. Bid Price

- a) The contract shall be for the full quantity as described above. Corrections, if any, shall be by made by crossing out, initialing, dating and re writing.
- b) All duties, taxes and other levies payable on the raw materials and components shall be included in the total price.
- c) Sales tax in connection with the sale shall be shown separately.
- d) The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- e) The prices shall be quoted in Indian Rupees only.

4. Each bidder shall submit only one quotation.

5. Validity of Quotation

Quotation shall remain valid for a period not less than 15 days after deadline date specified for submission.

6. Evaluation of Quotations

The Purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which

- a) Are properly signed; and
- b) Conform to the terms and conditions, and specifications.

The quotations would be evaluated for all the item together/would be evaluated separately for each item. [Select one of the options].

Sales tax in connection with sale of goods shall not be taken into account in evaluation.

7. Award of contract

The purchaser will award the contract to be bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation prices.

7.1 Notwithstanding the above, the purchaser reserves the right to accept or reject any quotations and to cancel the bidding process the reject all quotations at any time prior to the award of contract.

7.2 The bidder whose bid is accepted will be notified of the award of contract by the purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

8. Payment shall be made immediately after delivery of the goods.

9. Normal commercial warranty/ guarantee shall be applicable to the supplied goods.

10. You are requested to provide your offer latest by 17.00 hours on 27/02/2019(date).

11. We look forward to receiving your quotations and thank you for your interest in this project.

(Purchaser)



Name: PI, National Agricultural Higher Education Project

Address: Deptt. of UCES&EE, Dr. PDKV, Akola

Tel. No.: 7588763787

Email: nahep.akl@gmail.com

FORMAT OF QUOTATION FOR SUPPLIER

| Sl. No. | Description Goods | Specifications | Qty. | Unit | Quoted Unit Rate in Rs. | Total Amount | |
|--------------|-------------------|----------------|------|------|-------------------------|--------------|--|
| | | | | | | Rupees | |
| | | | | | | | |
| TOTAL | In Figures | | | | | | |
| | In Words | | | | | | |
| GST | | | | | | | |

Gross Total Cost: Rs.

We agree to supply the above goods in accordance with the technical specifications for a total contract price of Rs. (amount in figure) (Rs.Amount in words) within the period specified in the Invitation for Quotation.

We also confirm that the normal commercial warrantee/ guarantee of Months shall apply to the offered goods.

We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery.

Signature of Supplier

