

No. PHET/158 / of 2023
Office of the Research Engineer
Post Harvest Technology Scheme
Dr. PDKV, Akola

Date: 13/07/2023

To,
M/S.

Subject: Supply of quotation for purchasing of fabrication material of for development of Mobile Soybean Dryer.

Dear Sir,

You are requested to supply quotation for purchasing of fabrication material of Mobile Soybean Dryer unit on or before **21/07/2023**.

Sr. No.	Item	Specification of Item	Quantity	Rates
1	MS Angle (20 feet)	30 x 30 x 5 mm	1	
		40 x 40 x 5 mm	12	
		20 x 20 x 3 mm	5	
		30 x 30 x 3 mm	6	
		25 x 25 x 3 mm	6	
2	MS Sheet	10 gauge (4 x8 feet)	9	
		20 gauge (4 x8 feet)	3	
		18 gauge (4 x8 feet)	11	
3	MS Flat Round	20 x 3 mm	2	
		30 x 5 mm	4	
4	MS Round Bar	Dia. 20 mm	3	
5	MS Round Pipe	50 mm dia. x 3 mm thickness	5	
		100 x 2.5 mm	1	
		125 mm dia. X 3 mm (20 feet)	1	
6	MS Square Pipe	40 x 20 x 2 mm	4	
7	MS Flat	25 x 5 mm	2	
		20 x 5 mm	5	
8	Channel	30 x 70 x 30 mm x 3 mm	8	
		50 x 100 x 50mm x 5 mm	5	
9	Tractor Hook		1	
10	PTO Pin		1	
11	PTO Cross		1	
12	PTO Pipe		1	
13	Tyer with Disc	6 x 16 cm	2	
14	Axel	60 inch x 52 mm	1	

15	Buckets	4 x 4 inch	50	
16	Belt	4" cotton belt	30 feet	
17	Shaft	¾" (20 foot)	1	
		1" (20 foot)	1	
		2" (20 foot)	1	
		2.5" (20 foot)	1	
18	Bearing	UPC 207	10	
		UPC 206	6	
		UPC 205	8	
		UCF 205	12	
		UCF 211	2	

Note:

- 1) The quotation should be sent in sealed envelope.
- 2) On the envelope following should be clearly mentioned in capital letters: Submitted to the **Office of Research Engineer Post Harvest Engineering & Technology, Dr. P.D.K.V. Akola.**

Quotation for "Fabrication material of Mobile Soybean Dryer"

Enquiry Letter No. : PHET/Quot. Notice /158/2023 Dt. 13/07/2023

- 3) Prices or rates should be "All inclusive" (i.e. inclusive of all taxes ,octroi, tariffs and expenses) for Post Harvest Engineering & Technology, Akola.
- 4) The payment of bill can only be made after satisfactory compliance of complete order.
- 5) Quotation received after **21/07/2023** will not be considered.
- 6) Time, period for which the quotation will be valid should be clearly mentioned. Further, the validity period should be at least 6 months. Quotations of lesser validity are liable to be rejected.
- 7) Material will have to be reach within 10 days/stipulated time or as specified or even in fewer periods than 10 days/stipulated time from the date of issue of supply order.
- 8) The undersigned reserves full right to reject any or all the quotations without assigning any reason thereof.

Yours Faithfully



Research Engineer
Post Harvest Engineering & Technology,
Dr. PDKV, Akola