



SEED TECHNOLOGY RESEARCH UNIT
DR. PANJABRAO DESHMUKH KRISHI VIDYAPEETH, AKOLA (MS)

Dr. Amrapali A. Akhare
Seed Research Officer
& Nodal Officer (DUS)

Fax : 0724-2258641
Phone : 0724-2258641
Email: seed technology@yahoo.co.in

No. SRO/STRU/370 /2023

Date:- 8/8/2023

Quotation Notice

To

Officer In-charge
ARIS Cell,
Dr. P.D.K.V., Akola

Subject : Quotation /rate inviting for solar tunnel dryer

Sir,

It is requested to give your quotation for solar tunnel dryer specified below. So as to reach this office on or before **14/08/2023** within office hours.

SN	Name	Specifications	Rates
1	Mini solar tunnel dryer	<ul style="list-style-type: none">• Size :Length: 6 ft, Width : 4 ft, Height : 3 ft• Door : Both side door• Polythene sheet : U.V. stabilized polythene film of 200 micron thickness• Chimney : 2 Nos.• Sample tray : 2 Nos trays of SS perforated sheet drawer type moves on telescopic channel.• Capacity : 10 to 12 kg per batch	
2	Solar tunnel dryer	<ul style="list-style-type: none">• Size :Length: 13 ft, Width : 10 ft, Height : 7.5 ft• Door : one side door• Polythene sheet : U.V. stabilized polythene film of 200 micron thickness• Chimney : 1 Nos.• Turbo fan : 01• Capacity : 50 to 60 kg per batch	
3	Sample rack	<ul style="list-style-type: none">• MS square pipe frame• SS perforated sheet trays : 5 Nos. (bottom 3 Nos. and top 2 Nos.)	
4	Installation charges		

While quoting the prices, the instructions on the overleaf may please be noted carefully.

1. The quotation should be sent in sealed envelope.
2. On the envelope following should be clearly mentioned in block capital letters :
 - a. QUOTATION FOR-----
3. **Prices or rates should be inclusive GST & all taxes.**
4. The payment of bill can only be made after satisfactory work.
5. Quotation received after due date will not be considered.
6. Conditional quotations are liable to be rejected.
7. The undersigned reserves full right to reject any or all the quotations without assigning any reason thereof.
8. Detailed technical drawings of the dryer should be enclosed.
9. The supplier must have installed 05 or more solar dryer in State Govt. of Maharashtra (Photo copies required as documentary evidence) and should have functional service centre in Maharashtra (documentary address proof and contact details of person in charge).

Thanking You.

sande
Seed Research Officer
Seed Technology Research Unit
Dr. PDKV., Akola