



Dr. Panjabrao Deshmukh Krishi Vidyapeeth, Akola
Sugarcane Research Station
Tharsa, Tq. Mauda, Dist. Nagpur- 441106

Dr. V. K. Biradar
Senior Research Scientist (Sugarcane)

E-mail (O): srssugarcane@pdkv.ac.in
tharsasrssugarcane@gmail.com

No. SRS/Drip./17/ 2026

Date: 13.01.2026

Quotation Notice

To,

- 1.
- 2.
- 3.

Subject:- Regarding Quotation for supply of rates of drip irrigation system.

This office has to expand drip irrigation system at the Sugarcane Research Farm. You are therefore requested to offer your most comparative rates for below mentioned items and furnish quotation under sealed cover, so as to reach this office on before 23.01.2026 up to 4.00 pm

Sr. No.	Particulars of Product	Unit	Qty.	Rate	Amount
(A)	NETWORK - PVC PIPES				
1	PVC PIPE 75MM 4KG/CM2 SOCKETED	Mtr	06		
2	PVC PIPE 63MM 4KG/CM2 SOCKETED	Mtr	96		
(B)	EMITTING SYSTEM				
1	DRIP LATERAL 16 MM ISI CL II	Mtr	100		
2	GOL INLINE 16 MM 2LPH 40CM CLS2 ISI	Mtr	5500		
3	RUBBER GROMMET 16 MM	Nos.	100		
4	HEAD CONNECTOR 16 MM	Nos.	100		
5	BARBED CONNECTOR 16 MM	Nos.	100		
6	END CAP 16 MM	Nos.	100		
7	PVC BALL VALVE 63 MM	Nos.	2		
8	FLUSH VALVE ASSLY 63 MM	Nos.	2		

Terms and Conditions

1. Quotation/Estimate will be considered for above items only and in above format including all taxes.
2. Rates quoted should be inclusive of all fitting and accessories, transportation, installation charges and taxes and should be have valid GST registration number
3. Complete specification should be quoted
4. The sealed quotation envelope be subscribed as "Quotation for Drip Irrigation System"
5. The quoted should be valid for 12 month
6. The right to accept the quotation partially, fully or for non acceptance will be with undersigned without assigning any reason.
7. The work will be executed within 7 days from issue of work order.
8. If any dispute arises the decision of undersigned will be final
9. The payment will be made by cheque only against the production of bill as early as possible
10. If any spare part found to defective or sub-standard quality at time of delivery the same will be rejected and the supplier is bound to supply the spare part of desired quality and Quantity mentioned in supply order...

Dr. V. K. Biradar
Senior Research Scientist (Sugarcane)
13.01.2026
Senior Research Scientist
Sugarcane Research Station
THARSA