

OILSEEDS RESEARCH UNIT

Dr. PanjabraoDeshmukhKrishiVidyapeeth, P.O. Krishi Nagar, Akola 444 104 (Maharashtra)

Senior Research Scientist Dr. S. J. Gahukar **28 8208642571**

E-mail <u>srsoilseedspdkv@rediffmail.com</u> <u>srsoilseeds@pdkv.ac.in</u>

No. SRS/OS/Esst./727/2023

Date: 83 /03/ 2023

Quotation Notice

Subject: Quotation for purchase of Groundnut Thresher, Oil Expeller Worm Type, Press Filter for Oil, Boiler for heating Oilseeds, Multipurpose Grain cleaner cum grader & Lakdi ghana at Oilseeds Research C, Dr. PDKV, AkolaRegarding

With reference to above cited subject, please send your quotation rates for Groundnut Thresher, Oil Expeller Worm Type, Press Filter for Oil Boiler for heating Oilseeds and Multipurpose Grain cleaner cum grader at Oilseeds Research Centre, Dr. PDKV, Akola as per the specification given below.

Groundnut Thresher (Tractor powered 15 to 25 hp)

Sr.No.	Particular	Specification
1.	Power Rating	15 to 25 HP
2.	Types of Crops	Sunflower, Safflower & Groundnut
3.	Hopper diameter	800 mm
4.	Hopper Height	650 mm
5.	Transmission Type	Gear- Box
6.	Type of Bearings	UCP 205 (Grease Bath type)
7.	Chasis Type	Ladder Frame (100 mm channel)
8.	Capacity	800-1000 kg per hour (depending upon crop)
9.	All accessories required to r	un on tractor & also give demonstration of the machine

Oil Expeller worm type (100-150 kg/hr capacity)

Sr.No.	Particular	Specification
1.	No. of Bolts	6 Bolts
2.	Worm Size	600 mm
3.	Capacity	80-100 kg/hr
4.	Phase	3 Phase
5.	Power	10 HP
6.	Motor Type	Induction type (Copper Winding)
7.	Motor Make	Saguna/Crompton
8.	Body Type	Box Structure
9.	All accessories required to run the machine & also give demonstration of the machine	
10.	Preparation of foundation and fitting should be included	

Press Filter for Oil with Pump & Fitting

Particular	Specification
Capacity	50 to 70 liters/hr
No. Of Plates	5 Plates
Filter Type	Press Filter
Element Size	300 x 300 mm
Material	SS 304 Grade (Food Grade)
Bottom tank and filtered clothe along with fitting charges should be Included	
	Capacity No. Of Plates Filter Type Element Size Material

Boiler for heating Oil seeds (Baby Boiler) for running Oil expeller having capacity 100-150 kg/hr

Sr.No.	Particular	Specification
1.	Туре	Electric Boiler
2.	Voltage	220-240 Volts
3.	Frequency	50-60 Hz
4.	Phase	3 Phase
5.	Material	SS 304 Grade
6.	All accessories needed to fitting to expeller along with labour charges	

Multipurpose grain cleaner cum grader

Sr.No.	Particular	Specification
1.	Power	2 HP
2.	Phase	Single Phase
3.	Capacity	300-500 Kg/Hr
4.	Length	1400 MM
5.	Width	600 MM
6.	Height	1200 MM
7.	All accessories needed to fitting	

Lakdi Ghana

Sr.No.	Specification	
1.	6 mm thickness sheets for Loading bearing	
2.	16 mm thickness plate for white roller holders	
3.	50 mm Round rod for screw rod	
4.	EN 19 Grade material for main Shaft	
5.	Mitsuboshi- Japan Brand imported Belts for longer life	
6.	SKF Bearings	
7.	TVS Brand Bolts2 mm thick304 grade Seed putting Hooperand oil Tray	
8.	All accessories needed to fitting should be supplied	

Terms and Conditions

- The quotation should be reach in the office, Oilseeds Research Unit, Dr. PDKV, Akola on or before 13/03/2023 at 5.00 P.M. positively.
- The quotations should be in the name of Senior Research Scientist, Oilseeds Research Unit, Dr. PDKV, Akola
- 3. The quotation will be accepted on all working days between 10.00 a.m to 5.00 p.m.
- The rate quoted should be inclusive GST with delivery at office of the Senior Research Scientist, Oilseeds Research Unit, Dr. PDKV, Akola.
- 5. The firm should be registered having GST No.
- 6. The right to accept whole or part of the quotation or to reject is reserved with the undersigned any reasons.
- 7. The rate will be valid for 6 months from the date of final approval of authority.
- 8. All machinery working with necessary fitting to demonstrated at Oilseeds research Centre Dr. PDKV, Akola

Senior Research Scientist Oilseeds Research Unit, Dr. PDKV, Akola