



PULSES RESEARCH CENTRE,
Dr. PANJABRAO DESHMUKH KRISHI VIDYAPEETH,
KRUSHINAGAR, AKOLA (M.S.) 444 104

No.SRS/Pulses/Reno-Cabin/06/26;

Date : 06/02/2026

QUOTATION NOTICE

Subject: Invitation of quotation for renovation of cabin of officer in-charge at Pulses Research Centre, Dr.PDKV, Akola...

Quotations / rates are invited for renovation of cabin of officer in-charge at Pulses Research Centre, Dr. P.D.K.V., Akola with specification, terms and conditions of supply as mentioned below.

SN	Item	Quantity	Rate	Unit	Amount
1	Scrapping the old plastered internal surface with sand paper and coating the entire surface with mixture of whitening or glue and linseed oil including scaffolding etc. complete as directed	67.87		Sqm	
2	Providing and applying Two coats of wall care Putty on plastered surface and Ceiling and Walls to prepare surface even and smooth of approved make, etc complete.	67.87		Sqm	
3	Providing and applying two coats of synthetic enamel paint of approved colour to new /old structural steel work and wood work in buildings, including scaffolding if necessary, cleaning and preparing the surface (excluding primer coat) etc. complete.	9.49		Sqm	
4	Providing and applying priming coat on concrete/ masonry/ Asbestos Cement plastered surfaces including scaffolding if necessary, preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter and sand papering as required etc. complete.	67.87		Sqm	
5	Providing and applying plastic emulsion paint of approved quality, colour and shade to new surface in three coats including scaffolding, preparing the surface. (including primer coat) etc. complete.	67.87		Sqm	
6	Providing second class Burnt Brick masonry with conventional/ I.S. type bricks in cement mortar 1:4 in half brick thick wall including mild steel longitudinal reinforcement of 2 bars of 6 mm diameter / 2 hoop iron strips 25 mm X 1.6 mm placed at every third course, properly bent and bonded at ends scaffolding, racking out joints and watering etc	2.58		Sqm	
7	Providing internal cement plaster 20mm thick in Single coats in cement mortar 1:5 without neeru finish, to concrete, brick surface, in all positions including scaffolding and curing etc. complete.	7.20		Sqm	

8	Providing and fixing in position. (as per I.S.1868 / 1982) Aluminium sliding window of two tracks with rectangular pipe having overall dimension 63.50 x 38.10 x 1.02 mm at weight 0.547 Kilogram/One Running Metre. and window frame bottom track section 61.85 x 31.75 x 1.20 mm at weight 0.695 Kilogram/One Running Metre. Top and sidetrack section 61.85 x 31.75 x 1.30 mm at weight 0.659 Kilogram/One Running Metre. The shutter should be of bearing bottom 40 x 18 x 1.25 mm at weight 0.417 Kilogram/One Running Metre. Inter locking section 40 x 18 x 1.10 mm at weight 0.469 Kilogram/One Running Metre. And handle section 40 x 18 x 1.25 mm at weight 0.417 Kilogram/One Running Metre. and top section 40 x 18 x 1.25 mm at weight 0.417 Kilogram/Running metre. As per detailed drawings and as directed by Engineer in charge with all necessary Aluminium sections fixtures and fastenings such as roller bearing in nylon casting and self locking catch fitted in vertical section of shutter including 5 mm thick plain glass with all required screws and nuts etc, complete. With powder coating with box	1.67		Sqm	
9	Providing and Fixing Soft Fibre Acoustical Suspended Ceiling System with Optra (Bevelled Tegular) Edge Tiles of size 15mm Exposed Grid. The tiles should have Humidity Resistance (RH) of 95%, NRC 0.9 - 1.0, Light Reflectance ?85%, Colour White, Fire Performance UK Class 0 / Class 1 (BS 476 pt - 6 &7) in module size of 600 x600 x 15mm , suitable for Green Building application, with Recycled content of 66% GW and 74% RW. The tile shall be laid on precoated G.I channel 32 with 15 mm wide T -section flanges colour white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm and 600 mm Cross Tees with a web height of 32 mm and a load carrying capacity of 7 Kilograms/M2 with a minimum pull out strength of 100 Kilograms. The T Sections have a Galvanizing of 90 grams per M2 and need to be installed with Suspension system The Tile and Grid system used together should carry a 10 year warranty. products approved as per GRIHA and BS 476 etc. complete.	30.6		Sqm	
10	Providing and fixing 1.5 mm thick polyvenylvenyl chloride flooring including leveling the base with white cement including pasting with appropriate material cleaning the surface etc. complete	26.1		Sqm	
11	Repairs to door	Job Work		Job Work	
		Total Amount Rs.			
		Add GST 18 % on Quoted Amount			
		Net Total Amount Rs.			

TERMS AND CONDITIONS OF SUPPLY :

1. Part supply of any order will not be accepted and payment will be released only on receipt of complete satisfactory completion of ordered services.
2. The necessary catalogue, leaflets, operational manual or any other printed material related to materials should be provided.
3. Normal commercial warranty / guarantee shall be applicable to the supplied services.



4. The term and conditions and time required for supply of the materials / completion of work order should be mentioned clearly. The technical comparison sheet according to specifications mentioned should be enclosed along with the bid.
5. The rates/ prices should be FOR, Senior Research Scientist, Pulses Research Centre, Dr. PDKV, Akola (M.S.) India. All leakages-breakages and losses in transit including shortages, if any will be borne by the firm/suppliers.
6. The firm should provide proof of GST registration /TAN No. PAN No.
7. The rates quoted should be inclusive of all taxes, materials, any other charges if any.
10. The quotation will be accepted on all working days between 10.00 am to 5.00 pm.
11. The rates should be valid for further six months from the date of opening the quotation.
12. The bids of firm (s) which have either been black listed Dr. PDKV, Akola or any other Govt. organization will not be accepted. In this regard, the firms have to give an undertaking on the enclosed format.
13. The rates should be quoted in per unit in Rs. along with GST applicable and exemption documents shall be provided, if any.
14. Your offer may be provided latest by 5.00 pm hours on or before **20/02/2026**.
15. Envelope should be super scribed as "Renovation of cabin of officer in-charge at Pulses Research Centre, Dr.PDKV, Akola"



**Senior Research Scientist (Pulses),
Pulses Research Centre
Dr.PDKV, Akola**