

## PULSES RESEARCH UNIT

*Dr. Panjabrao Deshmukh Krishi Vidyapeeth, Akola (M.S.)*

No.SRS Pulses/ LAF /194/ 2025

Date: 20.1.2025

### QUOTATION NOTICE

**Subject: Quotations for purchasing of Horizontal Laminar air flow ... reg.**


Please arrange to send your quotation for the supply of Laminar air flow at Pulses Research Unit, Dr. PDKV, Akola with particular as mentioned below.

Sr. No.	Particulars	Qty.	Rate /per unit	Amount (Rs.)
1	Horizontal Laminar air flow, Horizontal type, Inner working size- 4x2x2 feet, Construction outer body Made of M.S powder coated inner working area made of S.S., HEPPA Filter – Efficiency of heppa filter of 99.97 down on 0.3 microns and pre filter down to 5 microns side Arcylic panel, door fitted with acrylic door, supplied with 1 UV Light 16 W (Phillips) & 1 day light, supplied with Gas Cork.	01		

Terms and conditions of supply:

1. The bill may be sent in the name of Senior Research Scientist (Pulses), Dr. PDKV, Akola.
2. The quotation should reach this office on or before 3rd Feb 2025 at 5.00 p.m.
3. The item should be as per the specification, quantity and standard as stated with delivery at Senior Research Scientist Pulses Research Unit Dr. P.D.K.V., Akola.
4. The bill should be inclusive of all taxes (GST).
5. The rates/ prices should be FOR, Senior Research Scientist, Pulses Research Unit, Dr. PDKV, Akola (M.S.)
6. All leakages-breakages and losses in transit including shortages, if any will be borne by the firm/suppliers.

7. The quotation will be accepted on all working days between 10.00 to 6.00 pm and will be opened on the 3/2/2025.
8. The firm should provide proof of GST registration /TAN No. PAN No.
9. The rates quoted should be inclusive of all taxes, materials, any other charges if any.
10. The material will have to be supplied within ten days from the delivery date of supply order.
11. The right to accept the whole or part of the quotation or reject the same is reserved with the undersigned without assigning any reason thereof.
12. The item should be as per specification, quantity, standard and warranty as stated above.
13. The bids of firm (s) which have either been black listed Dr. PDKV, Akola or any other Govt. organization will not be accepted. In this regard, the firms have to give an undertaking on the enclosed format.
14. The rate quoted should remain valid for a period of 3 month from the date of opening the quotation.
15. Authorization certification must be submitted.
16. Envelope should be super scribed as **Quotation for the supply of Horizontal Laminar air flow.**

  
Senior Research Scientist,  
Pulses Research Unit,  
Dr. PDKV, Akola