

PULSES RESEARCH UNIT

Dr. Panjabrao Deshmukh Krishi Vidyapeeth, Akola 444104 (M.S.)

No. SRS/PULSES/IN/ of 2025

725

Date: 0/11/2025

QUOTATION NOTICE

Subject: Quotation for supply of rates for Sprinkler irrigation set with all Accessories at Pulses Research Unit, Dr. PDKV, Akola.

Details of Two Sprinkler irrigation set given as below:

Name of item	Particulars	Approx. Quantity Nos	Rate quoted per Nos
Sprinkler Pipe	Make : Jain ISI Mark, HDPE Size : 75 mm, L: 6 Mt, W. Pressure 3.2 kg/sqcm	60	
Rieser Pipe	Make Iron Pipe, Pressure 3.2 kg/sqcm	16	
Sprinkler Stand	Make : Jain ISI Mark, HDPE Size : 75 mm, W. Pressure 3.2 kg/sqcm	16	
Bend	Make : Jain ISI Mark, HDPE Size : 75 mm, W. Pressure 3.2 kg/sqcm	2	
Tee bend	Make : Jain ISI Mark, HDPE Size : 75 mm, W. Pressure 3.2 kg/sqcm	2	
P.C.N	Make : Jain ISI Mark, HDPE Size : 75 mm, L: W. Pressure 3.2 kg/sqcm	2	
and Cap	Make : Jain ISI Mark, HDPE Size : 75 mm, W. Pressure 3.2 kg/sqcm	4	
Nozzle	Make : Jain ISI Mark, Copper material.	16	

Terms and conditions of supply:

1. Part supply of any order will not be accepted and payment will be released only on receipt of complete satisfactory supply within time limit.
2. The materials should be provided as per specification,
3. Normal commercial warranty guarantee shall be applicable to the supplied materials and services.
4. The term and conditions and time required for supply of the materials should be mentioned clearly. The technical comparison sheet according to specifications mentioned should be enclosed along with the quotations.
5. The rates/ prices should be FOR, at Senior Research Scientist, Pulses Research Unit Farm, Dr.PDKV, Akola (M.S.) India. Including all texts, All leakages-breakages and losses in transit including shortages, if any will be borne by the firm/suppliers.

7. The firm should provide proof of GST registration /TAN No. PAN No.
8. The rates quoted should be inclusive of all taxes, materials, any other charges if any.
9. The quotation will be accepted on all working days between 10.00 to 5.00 pm.
10. The rates should be valid for further six months from the date of opening the quotation.
11. The quotations of firm (s) which have either been black listed Dr. PDKV, Akola or any other Govt. Organization will not be accepted.
13. You are requested to provide your offer latest by on or before **20/11/2025** at 5.00 pm hours.
14. Envelope should be super scribed as Quotation for the supply Sprinkler irrigation set at SRS(Pulses), Pulses Research Unit, Dr. PDKV, Akola.

Sd/-
Senior Research Scientist,
Pulses Research Unit,
Dr. PDKV, Akola.

468

22/11/25