


QUOTATION NOTICE

To,

Subject: Quotation for supply of for providing and fixing Aluminium partition to the Plant Pathology laboratory at Pulses Research Centre... reg.

With reference to above cited above, please arrange to **providing and fixing Aluminium partition to the Plant Pathology laboratory** with particulars mentioned below and specification on overleaf at Senior Research Scientist, Pulses Research Centre, Dr. PDKV, Akola.

- 1) Particulars of supply to made (Form attached).
- 2) The quotation should be given in the form enclosed.
- 3) The quotation should be in the name of Senior Research Scientist, Pulses Research Centre, Dr. PDKV, Akola mentioned quotation for providing and fixing Aluminium partition.
- 4) The sealed quotation should reach to this office on or before 5.02.2026 up to 5.00 pm.
- 5) The quotation will be accepted on all working days between 10.00 to 6.00 pm and will be opened on the 5.02.2026 after receiving quotations.
- 6) The quoted rate will have to be inclusive of all taxes with deliver at Senior Research Scientist, Pulses Research Centre, Dr. PDKV, Akola.
- 7) The rates quoted should remain valid for a period of 6 months from the date of opening the quotation.
- 8) The right to accept whole or part of the quotation or reject observance undersigned without assigning therefore.
- 9) The material will have to be supplied as per specifications from the date of issue of the order or as indicated in order.
- 10) In the event of failure to supply the material within the specified undersigned will be authorized to cancel the order for supply.
- 11) The quantity required is subject to variation and no reason will be assign to that.
- 12) Authorized dealers in different product may send a xerox copy of rates along with quotation.
- 13) Samples wherever possible should be send along with quotation.
- 14) CGST/SGST may be quoted on the quotation.
- 15) Quotation be quoted in printed form.


27/1/26
Senior Research Scientist,
Pulses Research Centre,
Dr. PDKV, Akola

Form of Quotation

Supply of Quotation for providing and fixing Aluminium partition as per the enquiry of the Senior Research Scientist, Pulses Research Centre, Dr. PDKV, Akola.


S. N.	Qty.	Description of Items	Rate (Rs)	Unit	Amount (Rs)
1	25.15	Providing and fixing in position extruded aluminium partitions having frame made out of extruded tubular section of size 65 mm x 40 mm with 12 mm thick three layered flat pressed teak wood particle board bonded with BWP type exterior grade phenol formaldehyde synthetic resin conforming to IS 12923:1990, laminated on both sides, Novateak or equivalent with aluminium glazing clips of size 12 mm x 12 mm (conical) as per drawing etc. complete. SSR No. 39.73	-	Sqm	-
2	3.83	Providing and fixing in position, Single shuttered aluminium extruded powder coated openable door of overall size 0.90 m x 2.40 m with aluminium door frame of powder coated section 101.60 x 44.75mm, 3.18 mm thick and shutter comprising of powder coated section having bottom and lock rail of size 150 mm x 44.5 mm x 3.00 mm thick top rails 47.62 x 44.45 mm x 3.00 mm thick,	-	Sqm.	-


27/1/26

		shutter plain glass panes 5 mm thick for top panels and 12mm thick both side laminated phenol bonded particle board panels for bottom panels etc., I.S.I. mark, with bijagiri having heavy duty concealed lock, necessary beading, glazing clips, PVC gaskets, 250mm length tower bolts, 150mm diam. pad handle, etc. as per detailed design and drawing or as directed by engineer in charge including all materials, labours, and equipment etc. complete SSR No. 39.65			
3	8.83	Providing and fixing in position. (as per I.S.1868 / 1982) Aluminium sliding window of two tracks with rectangular pipe having overall dimension 63.50 x 38.10 x 1.02 mm at weight 0.547 Kilogram/One Running Metre. and window frame bottom track section 61.85 x 31.75 x 1.20 mm at weight 0.695 Kilogram/One Running Metre. Top and side track section 61.85 x 31.75 x 1.30 mm at weight 0.659 Kilogram/One Running Metre. The shutter should be of bearing bottom 40 x 18 x 1.25 mm at weight 0.417 Kilogram/One Running Metre. Inter locking section 40 x 18 x 1.10 mm at weight 0.469 Kilogram/One Running Metre. And handle section 40 x 18 x 1.25 mm at weight 0.417 Kilogram/One Running Metre. and top section 40 x 18 x 1.25 mm at weight 0.417	-	Sqm.	-


27/1/26

		Kilogram/Running metre. As per detailed drawings and as directed by Engineer in charge with all necessary Aluminium sections fixtures and fastenings such as roller bearing in nylon casting and self-locking catch fitted in vertical section of shutter including 5 mm thick plain glass with all required screws and nuts etc, complete. With powder coating with box. SSR No. 39.39			
4	2.22	Providing and fixing in position anodised (as per IS 1868/1982) Aluminium fixed staggered (Z Type) Ventilator with aluminium rectangular pipe 63 mm x 38.10 mm x 1.22 mm at weight 0.650 Kilogram/One Running Metre, Aluminium angle of size 15 mm x 15 mm x 1 mm, aluminium channel of 9 mm sizes, S.S. mosquito net of 304 Grade, 4 mm thick float glass per detailed drawing and as directed by Engineer in charge etc. complete. SSR No. 39.78	-	Sqm.	-
				Total	-
		GST		-	-
				Total Rs.	-


 27/1/26
 Senior Research Scientist,
 Pulses Research Unit
 Dr. PDKV, Akola