

DR PANJABRAO DESHMUKH KRISHI VIDYAPEETH AKOLA VASANTRAO NAIK COLLEGE OF AGRICULTUR BIOTECHNOLOGY WAGHAPUR ROAD, YAVATMAL

Dr. R.M. Gade M.Sc.,Ph.D.(Agri.) Associate Dean

E-mail : VNCAB.ytl@gmail.com

Tel. No. : 07232-251745

No. VNCAB/YTL / 161 /of 2017

Date: 12 / 05 /2017

Quotation/Rate Inviting Letter/Notice

To,	
	M/s
Subject	Quotation /rate inviting letter for Supply of Executive Office Table at VNCAB, Yavatmal reg
Sir.	

reach this office by 02 /06/2017 up to 15:00 hours.

Sr. No.	Descrip- tions	Specification	Quantity required (Approx.)
1	Main Desk/ Table	Main desk/ table: LHS size shall be 2200 Width mm x 1190 Depth mm x 750 Height mm. Top panel should be of two layers of 18 mm thick MFC with 3 mm PVC edging, the edging shall be of 2 colour tone. In the understructure the side panel legs shall be MFC covered with 45 mm MDF Profile at vertical edges, connected to the top panel by minifix and wooden dowels. Adjustable stud. The modesty shall be 18 mm thick MFC with curved shape. Connected to top and side panels with minifix fittiing and wooden dewels. Pedestal: size shall be 1320 width mm x 480 Depth mm x 700 Height mm. Top panel should be of two layers of 18 mm thick MFC with 3 mm PVC edging, the edging shall be of 2 colour tone. In the understructure the side panel legs shall be MFC covered with 45 mm MDF Profile at vertical edges, connected to the top panel by minifix and wooden dowels. Adjustable stud. The modesty shall be 18 mm thick MFC with curved shape. Connected to top and side panels with nimifix fitting and wooden dowels. The pedestal shall be having 4 drawers with central lock. Top dowers is pencil tray 280 x 280 mm. Carcass 18 mm thick MFC and 25 mm thick top panel. Black Metallic Handles 128 mm distance. 450 mm L runner. 55 m diameter x 25 mm height. Plastic adjustable glide. Connected to top with 2 nos. Of metallic support 109 mm H x 75 mm Diameter. The eru shul be connected to top with metallic support tube of size 60 mm H x 75 mm diameter. The Mobile pedestal: size shall be 406 Width mm x 550 Depth mm x 640 Hieght mm. Top panel should be of two layers of 18 mm thick MFC with 3 mm PVC edging, the edging shall be 18 mm thick MFC with curved shape. Connected to top and side panels with minifix fitting and wooden dowels. Adjustable stud. The modesty shall be 18 mm thick MFC with curved shape. Connected to top and side panels with minifix fitting and wooden dowels. The mobile pedestal shall be having 2 drawers (1 personal drawer + 1 filing drawer with central lock). Top drawer is pencil tray 280 x 280 mm. Carcases 18 mm thick MFC and 25 mm thick Top	01

2	Back Unit	Cabinet: size shall be 2410 Width mm x 425 Depth mm x 1215 Height mm. The top panel shall be of 25mm thick MFC with 2 mm PVC edging. The medium cabinet shall be of carcass 18 mm thick MFC with PVC edging and back panel 8 mm thick. 55 mm diameter x 25 mm Height adjustable plastic glide. Door with locks. Black mwtallic handles 96 mm distance, 1 fixed shelf connected to side panels wih minifix fittings and 1 adjustable shelf. Entire carcass connected with minifix fittings and wooden dowels. Fixing of top panel with side panels is with screws. Back panel is p;aced in the slut/ groove provided on top, bottom and side panels. The glass doors shall be 5 mm thick polished edge glass, fixing using overlay glass hinges and a black metallic knob. The wooden doors should be 18 mm thick MFC with 2 mm PVC edging. Black metallic handles 128 mm. Square lock is provided plus fixing using full	01
		overlay hinges. Providing and placing centre table of size 1000 mm Width x 600 mm diameter	01
3	Center Table	x 428 mm Height, made up of tampered glass top, rubberwood legs and 1.2 mm thick MS sheet.	O1

While quoting the prices, the instructions on the overleaf may please be noted carefully.

- 1) The quotation should be sent in sealed envelope.
- On the envelope following matter should be clearly mentioned in block capital letters: QUOTATION FOR for Supply of Executive office table at NCABT, Yavatmal ENQUIRY LETTER No.VNCAB/ YTL 161/05/of 2017 DATE: 12 /05/2017.
- 3) Prices or rates should be "All inclusive" (i.e. inclusive of all taxes, octroi, tariffs and expenses).
- 4) The CST/BST/VAT or Professional tax no. must be mentioned on quotation. Without that your quotations will not be considered.
- 5) The payment of bill can only be made after satisfactory compliance of complete order, and conditions such as full or partial payment in advance or against are not acceptable.
- 6) Quotation received after due date will not be considered.
- 7) The rates quoted should remain valid minimum up to 31st March, 2018.
- 8) Conditional quotations are liable to be rejected.
- 9) Name of the company, product name, number and broacher must be enclosed with the quotation.
- 10) The undersigned reserves full right to reject any or all the quotations or part of the quotation without assigning any reason thereof.
- 11) Warrantee period should be clearly mentioned.
- 12) In the event of failure to supply the material within the specified period the undersigned will be authorized to cancel the order for supply.
- 13) The quantity required is subject to variation and no reason will be assigned for that.
- 14) The received sealed envelope/s will be opened on <u>02 June</u>, <u>2017</u> at <u>16.00 hrs</u> in the chamber of Associate Dean, Vasantrao Naik College of Agriculture Bio-Technology, (Dr.PDKV), Waghapur Road, Yavtmal-445001 before you or your representative and other staff member. However, presence of you or your representative is not binding for us to open the envelope. Please note the same.

Associate Dean.

V.N. College of Agricultural Biotechnology,

Yavatmal